

# FAIRMONT - INDEX

# **GENERAL SECTIONS**

What's New for 1980 2	Door Construction
Model Availability	Engine/Transmission/Axle Ratio Combinations
Major Standard Features 12	Heating System
Standard Equipment Summary 15	Hood Construction
Optional Equipment Summary 16	Instrument Panel
Chassis Features20	Insulation and Soundproofing22
Body Features	Luggage Compartment
General Specifications 24	Seat Construction
	Steering, Manual Rack-and-Pinion 21
SPECIFIC FEATURES	Steering, Power Rack-and-Pinion 21
JI LOII TO I LA TONLO	Steering Specifications 24
Body Construction	Suspension, Front
Body Sealing Material	Suspension, Rear
Brake Specifications	Tire Availability
Brakes, Front Disc/Rear Drum 21	Transmission, Manual
Cargo Area	Underbody Construction 20
Curb Weights	Ventilation System
Dimensions/Specifications 24	Wheel Specifications
- misite a promoving the contract of	Window Construction

# FAIRMONT — WHAT'S NEW FOR 1980

#### **Technical**

- 2.3L turbo engine with required automatic transmission
- New 4.2L (255 CID) V-8 replaces 5.0L (302 CID) V-8 engine option. Available only with automatic transmission
- New lightweight starter on 3.3L (200
   CID) and 4.2L (255 CID) engines
- Mini-spare standard on all models
- New self-adjusting clutch with all manual shift transmissions
- New high-pressure P-metric steel-belted radial ply tires standard on all models
- Maintenance-free battery standard
- Travelers' Advisory Band added to all radios
- Halogen headlamps standard on Futura models\*
- Inside hood release standard

# Design

- New 4-door Futura model
  - Nine new exterior paint colors
  - Two new tu-tone schemes (separate for sedans and Futura models)
  - Three new vinyl roof colors
  - Three new interior colors
  - Revised tape stripe for Futura Sports Group
  - New "double bucket" sew style for cloth and vinyl seats
  - New partial vinyl door trim featuring woodgrain and bright trim

#### **Options**

- New Futura Decor Group Option
  - 2.3L four turbocharged engine with automatic transmission
  - Conventional spare
  - Leather-wrapped luxury steering wheel
  - Revised Accent Group design for interior trim components
  - Sports steering wheel revised from brushed aluminum to black finish
  - Bumper rub strips

<sup>\*</sup>Except where prohibited by state law

# FAIRMONT — MODEL AVAILABILITY

#### **FAIRMONT**

	Sales Code No.	
Two-Door Sedan	91	66B



Two-Door Sedan

#### FAIRMONT

	Sales Code No.	Body Code No.
Four-Door Sedan	92	54B



Four-Door Sedan

#### **FUTURA**

Sales Code No.	Code No.
93	36R
	No.



#### Two-Door Coupe

#### **FUTURA**

	Sales Code No.	
Four-Door Sedan*	92	54B



Four-Door Sedan

#### STATION WAGON

Sales	Body
Code	Code
No.	No.

Four-Door Station Wagon 94 74B

\*CVH is an option code for the 4-door Futura. The 4-door Fairmont sedan and the 4-door Futura will both have Sales Code No. 92 and Body Code 54B.



Four-Door Station Wagon

Exterior and interior color combinations shown as "available" have been established as most attractive to the average customer. Orders for combinations not shown may be submitted, provided the original order carries a notation stating that the exterior and interior selection

has been verified and is definitely desired. This procedure does not apply to orders specifying tu-tone paint combinations. Colors and codes referenced are the same as those shown in your Color and Trim Book.

	MODELS									FA	R	ON	NT	2-[	00	OF	A	ND	4-6	00	OR	SE	D/	AN								
													Н	ITER	OR A	ICCE	NT G	ROUF	>								ES	DPTI	ON			
				IVL.			OTH TYMO					-	IT-A	166501						n err	E P 10	Melde		41.	Arrest	wa	INT	ERIO	R AC	CENT	GRO	UP
				0)(1)			CH (C				,		STD)						ľ		H & V PT)(				-VIN TD)(		ALI	-VIN	YL		HTO.	
	INTERIOR COLORS	Bine	Red	Caramel	Sand	Blue	Red	Sand	Blue	Red	Caramel	Sand	Wequero	White/Red	White/Blue	White/Vaquere	White/Sand	While/Caramai	Blue	Red	Caramal	Sand	Vaquero	Red	Caramet	Caracost/Black	Red	Caramel	Caramel/Black	Red	Caramei	Caramel/Black
	BUCKETS	AB	AD	AT	AY				EB	EO	ET	EY	EZ	EN	EQ	E9	EN	E2	LB	LD	LT			AD	AT	AU	VD	VT	VU			
	BENCH	96	80	BT	BY	CB	CO	CY	GB	GD	GT	GY	GZ	GN	GQ	G9	G8	62	FB	FD	FT	FY	FZ	3	BT	BU	_	_	WU	ZD	ZT	ZU
EXT	ERIOR BODY COLORS																															
1C	Black			*																				*				4				*
9D	Polar White		*		6				-	4							. 0	*		*			*	A				4			4	9.
2K	Candyappie Red									6				0																		
1G	Silver Metallic		198			.0	1/3		2	63			.0							93										ú		
3F	Light Medium Blue	24				41			- 91						٠				wt.													
30	Dark Blue Metallic																		*													
7M	Dark Pine Metallic			0	0			٠				4									0	0										
BA	Dark Chamois Metallic																									•				-	-	
60	Pastel Sand				of							16										96										
8N	Dark Cordovan Metallic												0																			
"2H	Red Glow																															
*8W	Chamois Glow										×							4			*											-
'68	Sand Glow											9					16					*										
*80	Medium Bittersweet Glow												12			*							162							-		

<sup>&</sup>quot;Optional at extra cost

"White trim available on 2-doors only

1—Light Medium Blue/Dark Blue Metailic 3—S
2—Medium Bittersweet/Dark Cordovan 4—P

3—Silver Metallic/Black 4—Pastel Sand/Sand Glow

	MODELS						FAI	RN	101	VT.	4-D	000	DR	ST	ATI	ON	I W	AG	10	1				
								_			CEM									_	O MO	HOUR	2	
		L	ALL-) (STI	O)(1)				L-VIII				CLOT	H &		L	GL	OTH	# A8	IYL.			L-VIII HT OI		1
	INTERIOR COLORS	Bine	Red	Caramai	Sand	Brue	Rad	Caramel	Sand	Vaquero	Blue	Red	Caramel	Sand	Vaquera	Bice	Red	Sand	Vaquero	Bive	Red	Caremaí	Sand	Vaquere
	BUCKETS	AB	AD	AT	YE	EB	ED	ET	EY	EZ	LB	LD	ijΤ			JB	JD	JY	JZ					
	BENCH	88	80	BT	BY	GB	GD	GT	GY	GZ	FB	FD	FT	FY	FZ									
	FLIGHT BENCH															YB	YD	YY	YZ	KB	KD	KT	KY	KZ
EXT	ERIOR BODY COLORS																							
1C	Black		*		2		18.	*													*	*	*	
90	Polar White				*	*	Þ				9					*		*				4.	9.	
2K	Candyapple Red		19				4														9			
1G	Silver Metallic	*	A.			*	ъ.				*	*			2		20		*					10
3F	Light Medium Blue	*														*				*				
3D	Dark Blue Metallic	×																						
7M	Dark Pine Metallic			(8)	4								*					*					- 10	
8A	Dark Chamois Metallic			*																		*		
6D	Pastel Sand				*									0										
8N	Dark Cordovan Metallic																							
*2H	Red Glow						W																	
.8M	Chamois Glow																					*		
*6B	Sand Glow								×									*						
'8D	Medium Bittersweet Glow									*									*					

\*Optional at extra cost 4 Fairment

<sup>(1)</sup> Bucket seats standard with 2.3L and 4-speed manual transmission. Bench seat standard with 3.3L (200 CiD) and 4.2L (255) enginee

<sup>(1)</sup> Sucket seats standard with 2.3L and 4-speed manual transmission. Bench seat standard with 3.3L (200 CID) and 4.2L (255) angines

	MODELS						FA	IRN	10	NT	FU	TU	R/	12	DC	00	RC	OL	JPE	EA	ND	4-	DO	OF	RS	ED	AN			
						MLL-	VINY						CLOT	HAT	YENY		_				FU	TUR	DEC	OR G	ROU	P**				
		1					0)(1)							PT)			CL	отн.	& VIN	IYL.					ALL-V					
	INTERIOR COLORS	Blue	Red	Caramel	Sané	Meuere	White/Red	White/Blue	White/Sequero	White/Band	White/Carmell	Blue	Red	Caramel	Send	Mayero	Bine	Red	Sand	Meguare	Biun	Red	Caramel	Sand	Mequero	White/Red	White/Blue	White/Mequero	While/Sand	While/Caramai
	BUCKETS	RB	RD	RT	RY	AZ	BN	RQ	R9	Ra	R2	UB	UD	UT			JB	JD	JY	JZ				-	-					+
	BENCH	TB	TO	π	TY	172	TH	TO	TB	TE	T2	88	SD	ST	SY	32	-										$\vdash$			+
	FLIGHT BENCH																-	YD	YY	YZ	KB	KD	KT	KY	KZ	KH	KO	K9	KR	102
EXT	ERIOR BODY COLORS																			-	-		-	-	1	100	-	-	100	-
1C	Black		gB.									İ	63	0	0		1	63.				62	a							-
9D	Polar White											*		*		*					*			4		9				
2K	Candyapple Red																													+
1G	Silver Metallic											0							1								1	-	$\vdash$	1
3F	Light Medium Blue																							1	1					t
3D	Dark Bive Metallic	. 0						3									al				m1	-					0		-	1
7M	Dark Pine Metallic				4										0		1									$\vdash$			1	t
BA	Dark Chamois Metallic																					1								1.
60	Pastel Sand																		0					-						1
8N	Dark Cordovan Metallic					100			0				H			ol				92					60	-	-			t
2H	Red Glow		*																			4								1
'8W	Chamois Glow										0													1					-	1
*5B	Sand Glow				pi										94				gil.					2.6		1				1
'8D	Medium Bittersweet Glow															-						1			4		1		1	1-

<sup>\*</sup>Optional at aktra cost \*\*White trim available on

#### Tu-Tone Codes

- 1-Dark Blue Metallic/Light Medium Blue
- 2-Dark Cordovan Metallic/Medium Bittersweet
- 3-Black/Silver Metallic
- 4—Sand Glow/Pastel Sand

A—Black P—Silver B—Dark Blue T—Caramel D—Medium Red W—White	CODES
	-
P—Medium Red F—Cordovan	

	MODELS											F	AIF	M	NC	TÁ	ND	F	JTU	JR	A										
											VIN	YL	RC	OOF	CC	DLC	R	AVA	LA	BIL	JT)	111									
												F	UL	LR	00	F V	ALI	NO	GR	Alh	1										
	ROOF COLOR		1	HLACI			BL		ME RE		COR		8	ILVE	1	TLI	RAMI UGAN RAIN	O					¥	AHITE						SAI	ND
	INTERIOR COLOR	Caramal/Black	Red	Caramel	Sand	Mequero	Biue	White/Bine	Red	White/Red	Mequera	White/Shquera	Dive	Red	Meguero	Caramel	White/Caramel	Caramol/Black	Blue	Red	Caramel	Sand	Seguero	While/Red	White/Blue	White/Mequero	White/Sand	White/Caramel	Caramel/Black	Sand	White/Sand
EXT	ERIOR BODY COLORS			T	$\vdash$																			-							
10	Black	1	41	4.5					-									t												~	
90	Polar White	7	7	†						*		*				*	ė			+1	**					4			÷	*	
2K	Candyapple Red		×Ŷ																	*				W							
1G	Silver Metallic		wij				4						*	**	*																
3F	Light Medium Blue				1														*												
3D	Dark Blue Metallic						it												0						in.						
7M	Dark Pine Metallic			+	1											*													10		
8A	Dark Chamois Metallic	+		+												= 1	и	7			w							*			
6D	Pastel Sand				*																	*					*			*	
8N	Dark Cordovan Metallic										*	*										*									
*2H	Red Glow									*																					
WB*	Chamois Glow	+															e†	Ť			×										
*68	Sand Glow																					*									æ
*80	Medium Bittersweet Glow											*														×					

<sup>\*</sup>Optional at extra cost

<sup>(1)</sup> Bucket seats standard with 2 3L and 4-speed manual transmission. Banch seat standard with 3.3L (200 CID) and 4.2L (255) engines

<sup>2-</sup>doors only

<sup>&</sup>quot;\*NA on station wagon

			198	O FAIRMONT C	OLOR GU	IDE
		Fairmont 2-Door ar	nd 4-Doo	or Sedans and Sta	tion Wagon	(Less ESO or Tu-Tone)
EXTERIOR PA	INT	TRIM		VINYL RO		PAINT STRIPE
BLACK	(1C)	RED	(D) (D)	LESS ROOF RED	(D)	RED
		RED	(D)	BLACK	(A)	RED
		CARAMEL	(T)	LESS ROOF		CHAMOIS
		CARAMEL	(T)	CARAMEL.	(T)	CHAMOIS
		CARAMEL	(T)	BLACK	(A)	CHAMOIS
		SAND	(Y)	LESS ROOF		YELLOW
		SAND	(Y)	SAND BLACK	(Y)	YELLOW
		3/110	(Y)	DLAGK	(A)	YELLOW
WHITE	(9D)	RED	(D)	LESS ROOF		RED
		RED	(D)	RED	(D)	RED
		RED	(D)	WHITE	(W)	RED
		BLUE	(B)	LESS ROOF		BLUE
		BLUE	(B)	BLUE	(B)	BLUE
		SLUE	(8)	WHITE	(VV)	BLUE
		CARAMEL	(T)	LESS ROOF		CHAMOIS
		CARAMEL	(T)	CARAMEL	(T)	CHAMOIS
		CARAMEL	(T)	WHITE	(W)	CHAMOIS
		VAQUERO	(Z)	LESS ROOF		ORANGE
		VAQUERO	(Z)	CORDOVAN	(F)	CORDOVAN
		VAQUERO	(Z)	WHITE	(W)	ORANGE
		SAND	(Y)	LESS ROOF		GOLD
		SAND	(1)	SAND	(Y)	GOLD
		SAND	(Y)	WHITE	(W)	GOLD
		WHITE/RED	(N)	LESS ROOF		RED
		WHITE/RED	(N)	RED	(D)	RED
		WHITE/RED	(N)	WHITE	(W)	RED
		WHITE/BLUE	(Q)	LESS ROOF		BLUE
		WHITE/BLUE	(Q)	BLUE	(B)	BLUE
		WHITE/BLUE	{Q}	WHITE	(W)	BLUE
		ORBUDAV/BTHW	(9)	LESS ROOF		ORANGE
		WHITE/VAQUERO	(9)	CORDOVAN	(F)	ORANGE
		WHITE/VAQUERO	(9)	WHITE	(W)	ORANGE
		WHITE/SAND	(8)	LESS ROOF		GOLD
		WHITE/SAND	(8)	SAND	(Y)	GOLD
		WHITE/SAND	(8)	WHITE	(W)	GOLD
		WHITE/CARAMEL	(2)	LESS ROOF		CHAMOIS
		WHITE/CARAMEL	(2)	CARAMEL	(T)	CHAMOIS
		WHITE/CARAMEL	(2)	WHITE	(W)	CHAMOIS
CANDYAPPLE RED	(2K)	RED	(D)	LESS ROOF		WHITE
OUND LAFF LE NED	(EN)	RED	(D)	BLACK	(A)	BLACK
		RED	(D)	WHITE	(W)	WHITE
		WHITE/RED	(N)	LESS ROOF		WHITE
		AND DESCRIPTION OF THE PARTY OF	1134.0	L CONTROL PRODUCTION		

			198	FAIRMONT C	OLOR GU	IDE
		Fairmont 2-Door	and 4-De	oor Sedans and St	ation Wago	n (Less ESO or Tu-Ton
EXTERIOR PA	INT	TRIM		VINYL RO		RECOMMENDED PAINT STRIPE
SILVER METALLIC	(1G)	RED	(D)	LESS ROOF		RED
		RED	(D)	RED	(D)	RED
		RED	(D)	BLACK	(A)	BLACK
		RED	(D)	SILVER	(P)	RED
		BLUE	(B)	LESS ROOF		BLUE
		BLUE	(B)	BLUE	(B)	BLUE
		BLUE	(B)	SILVER	(P)	BLUE
		VAQUERO	(Z)	LESS ROOF		CORDOVAN
		VAQUERO	(Z)	SILVER	(P)	CORDOVAN
LT. MEDIUM		BLUE	(B)	LESS ROOF		BLUE
BLUE	(3F)	BLUE	(B)	WHITE	(W)	WHITE
		BLUE	(B)	BLUE	(8)	BLUE
		WHITE/BLUE	(Q)	LESS		WHITE
		WHITE/BLUE	(Q)	WHITE	(W)	WHITE
		WHITE/BLUE	(Q)	BLUE	(B)	WHITE
DK. BLUE		BLUE	(B)	LESS ROOF		SILVER
METALLIC	{3D}	BLUE	(B)	WHITE	(W).	WHITE
		BLUE	(B)	BLUE	(8)	SILVER
		WHITE/BLUE	(Q)	LESS ROOF		WHITE
		WHITE/BLUE	(Q)	WHITE	(W)	WHITE
		WHITE/BLUE	(Q)	BLUE	(B)	WHITE
DK. PINE		CARAMEL	(T)	LESS ROOF		CHAMOIS
METALLIC	(7M)	CARAMEL	(T)	CARAMEL	(T)	CHAMOIS
		SAND	(Y)	LESS ROOF		YELLOW
		SAND	(Y)	SAND	(Y)	YELLOW
DK. CHAMOIS		CARAMEL,	(T)	LESS ROOF		CHAMOIS
METALLIC	(BA)	CARAMEL	(T)	WHITE	(W)	WHITE
		CARAMEL	(T)	CARAMEL	m	CHAMOIS
		WHITE/CARAMEL	(2)	LESS ROOF		CHAMOIS
		WHITE/CARAMEL	(2)	WHITE	(VV)	WHITE
		WHITE/CARAMEL	(2)	CARAMEL	<b>(T)</b>	CHAMOIS
PASTEL SAND	(6D)	SAND	(Y)	LESS ROOF	-	GOLD
		SAND	(Y)	BLACK	(A)	BLACK
		SAND	(Y)	WHITE	(W)	WHITE
		SAND	(Y)	SAND	(Y)	GOLD
		WHITE/SAND	(8)	LESS ROOF		GOLD
		WHITE/SAND	(8)	WHITE	(W)	WHITE
		WHITE/SAND	(8)	SAND	(Y)	GOLD

			198	FAIRMONT C	OLOR GU	IDE
		Fairmont 2-Door a	nd 4-D	oor Sedans and St	ation Wago	n (Less ESO or Tu-Tone
EXTERIOR PAIR	NT	TRIM		VINYL RO		PAINT STRIPE
DK_CORDOVAN		VAQUERO	(Z)	LESS ROOF		ORANGE
METALLIC	(8N)	VAQUERO	(Z)	WHITE	(VV)	WHITE
		VAQUERO	(Z)	CORDOVAN	(F)	ORANGE
		WHITE/VAQUERO	(9)	LESS ROOF		ORANGE
		WHITE/VAQUERO	(9)	WHITE	(VV)	WHITE
		WHITE/VAQUERO	(9)	CORDOVAN	(F)	ORANGE
MEDIUM RED GLOW	(2H)	RED	(D)	LESS ROOF		RED
		RED	(D)	WHITE	(W)	WHITE
		RED	(D)	RED	(D)	RED
		WHITE/RED	(N)	LESS ROOF		WHITE
		WHITE/RED	(N)	WHITE	(W)	WHITE
		WHITE/RED	(N)	RED	(D)	WHITE
CHAMOIS GLOW	(W8)	CARAMEL	(T)	LESS ROOF	_	CHAMOIS
		CARAMEL	(T)	BLACK	(A)	BLACK
		CARAMEL	(T)	WHITE	(W)	WHITE
		CARAMEL	(T)	CARAMEL	(T)	CHAMOIS
		WHITE/CARAMEL	(2)	LESS ROOF		CHAMOIS
		WHITE/CARAMEL	(2)	WHITE	(W)	WHITE
		WHITE/CARAMEL	(2)	CARAMEL	(T)	CHAMOIS
SAND GLOW	(68)	SAND	(Y)	LESS ROOF		YELLOW
		SAND	(Y)	BLACK	(A)	BLACK
		SAND	(Y)	WHITE	(VV)	WHITE
		SAND	(Y)	SAND	(Y)	YELLOW
		WHITE/SAND	(8)	LESS ROOF		YELLOW
		WHITE/SAND	(8)	WHITE	(W)	WHITE
		WHITE/SAND	(8)	SAND	(Y)	YELLOW
BITTERSWEET GLOW	(BD)	VAQUERO	(Z)	LESS ROOF		CORDOVAN
		VAQUERO	(Z)	WHITE	(VV)	WHITE
		VAQUERO	(Z)	BLACK	(A)	BLACK
		VAQUERO	(Z)	CORDOVAN	(F)	CORDOVAN
		WHITE/VAQUERO	(9)	LESS ROOF		CORDOVAN
		WHITE/VAQUERO	(9)	WHITE	(W)	WHITE
		WHITE/VAQUERO	(9)	CORDOVAN	(F)	CORDOVAN

			198	O FAIRMONT C	OLOR GU	IDE		
		Fairmont 2-Door and 4-Door Sedans, ESO and ESO Tu-Tone						
EXTERIOR	RPAINT	TRIM		VINYL RO (If Orders	100	PAINT STRIPE		
BLACK	(1C)	CARAMEL CARAMEL CARAMEL	(II) (II)	LESS ROOF BLACK CARAMEL	(A) (T)			
		RED	(D) (D)	LESS ROOF BLACK	(A)	N/A		
		BLACK/CARAMEL BLACK/CARAMEL	(U) (U)	BLACK CARAMEL	(A) (T)			

			198	O FAIRMONT C	OLOR GU	IIDE
		Fairmont 2	2-Door	and 4-Door Seda	ans, ESO a	nd ESO Tu-Tone
EXTERIOR PAIN	IT	TRIM		VINYL RO		PAINT STRIPE
WHITE	(9D)	CARAMEL	(1)	LESS ROOF		BLACK
		CARAMEL	(T)	WHITE	(W)	BLACK
		CARAMEL	(T)	BLACK	(A)	BLACK
		RED	(D)	LESS ROOF		BLACK
		RED	(D)	WHITE	(W)	BLACK
		RED	(D)	BLACK	(A)	BLACK
		BLACK/CARAMEL	(U)	LESS ROOF		BLACK
		BLACK/CARAMEL	(LI)	WHITE	(W)	BLACK
		BLACK/CARAMEL	(U)	BLACK	(A)	BLACK
CANDYAPPLE RED	(2K)	RED	(D)	LESS ROOF		BLACK
		RED	(D)	BLACK	(A)	BLACK
SILVER METALLIC	(1G)	RED	(D)	LESS ROOF		BLACK
		RED	(D)	SILVER	(P)	BLACK
		RED	(D)	BLACK	(A)	BLACK
DK, PINE		CARAMEL	(T)	LESS ROOF		BLACK
METALLIC	(7M)	CARAMEL	(T)	CARAMEL	(T)	BLACK
DK. CHAMOIS		CARAMEL	(T)	LESS ROOF		BLACK
METALLIC	(AB)	CARAMEL	(T)	BLACK	(A)	BLACK
		CARAMEL	(T)	CARAMEL	(T)	BLACK
		BLACK/CARAMEL	(U)	LESS ROOF		BLACK
		BLACK/CARAMEL	(U)	BLACK	(A)	BLACK
		BLACK/CARAMEL	(U)	CARAMEL	(T)	BLACK
CHAMOIS GLOW	(WB)	CARAMEL	(T)	LESS ROOF		BLACK
		CARAMEL	(T)	BLACK	(A)	BLACK
		CARAMEL	(11)	CARAMEL	(T)	BLACK
		BLACK/CARAMEL	(U)	LESS ROOF		BLACK
		BLACK/CARAMEL	(U)	BLACK	(A)	BLACK
		BLACK/CARAMEL	(U)	CARAMEL	(T)	BLACK

		1980 FAIRMONT COLOR GUIDE						
		Futi	ura 2-Door	r Coupe and 4-Door	Sedan	(less Tu-Tone)		
EXTERIOR	RPAINT	TRIM		VINYL ROOF (If Ordered)		PAINT STRIPE		
BLACK	(1C)	RED	(D)	LESS ROOF/BLACK	(A)	RED		
		RED	(D)	RED	(D)	RED		
		CARAMEL	(T)	LESS ROOF/BLACK	(A)	CHAMOIS		
		CARAMEL	m	CARAMEL	(T)	CHAMOIS		
		SAND	(Y)	LESS ROOF/BLACK	(A)	YELLOW		
		SAND	(Y)	SAND	(Y)	YELLOW		

			dia.		OR GI	(lana Tr. Trees)	
		Futura 2	-Door (	Coupe and 4-Door S	edan	(less Tu-Tone)	
EXTERIOR PAINT		TRIM		VINYL ROOF (If Ordered)		PAINT STRIPE	
WHITE	(9D)	RED RED	(D) (D)	LESS ROOF/WHITE RED	(W) (D)	RED	
		BLUE	(B)	LESS ROOF/WHITE BLUE	(W) (B)	BLUE BLUE	
		CARAMEL CARAMEL	(T) (T)	LESS ROOF/WHITE CARAMEL	(W) (T)	CHAMOIS CHAMOIS	
		VAQUERO VAQUERO	(Z) (Z)	LESS ROOF/WHITE CORDOVAN	(W) (F)	ORANGE CORDOVAN	
		SAND	(Y) (Y)	LESS ROOF/WHITE SAND	(W) (Y)	GOLD	
		WHITE/RED WHITE/RED	(N) (N)	LESS ROOF/WHITE RED	(W) (D)	RED	
		WHITE/BLUE WHITE/BLUE	[Q] (Q)	LESS ROOF/WHITE BLUE	(W) (B)	BLUE BLUE	
		WHITE/VAQUERO WHITE/VAQUERO	(9) (9)	LESS ROOF/WHITE CORDOVAN	(W) (F)	ORANGE ORANGE	
		WHITE/SAND WHITE/SAND	(8) (8)	LESS ROOF/WHITE SAND	(W) (Y)	GOLD	
		WHITE/CARAMEL WHITE/CARAMEL	(2)	LESS ROOF/WHITE	(W) (T)	CHAMO S CHAMOIS	
ÇANDYAPPLE RED	(2K)	RED	(D)	LESS ROOF/WHITE BLACK	(W) (A)	WHITE	
		WHITE/RED	(N)	LESS ROOF/WHITE	(W)	WHITE	
SILVER METALLIC	(1G)	RED RED RED	(D) (D) (D)	LESS ROOF/RED BLACK SILVER	(D) (A) (P)	RED BLACK RED	
		BLUE	(B) (B)	LESS ROOF/BLUE SILVER	(B) (P)	SCUE BLUE	
		VAQUERO	(2)	LESS ROOF/SILVER	(P)	CORDOVAN	
LT MEDIUM BLUE	(3F)	BLUE	(B) (B)	LESS ROOF/BLUE WHITE	(B) (W)	BLUE	
		WHITE/BLUE WHITE/BLUE	(Q) (Q)	LESS ROOF/BLUE WHITE	(B) (W)	WHITE	
DK BLUE METALLIC	(3D)	BLUE	(B) (B)	LESS ROOF/BLUE WHITE	(B) (W)	SILVER	
		WHITE/BLUE WHITE/BLUE	(Q) (Q)	LESS ROOF/BLUE WHITE	(B) (W)	WHITE	
DK. PINE METALLIC	(7M)	CARAMEL	(11)	LESS ROOF/ CARAMEL	(T)	CHAMOIS	
		SAND	(Y)	LESS ROOF/SAND	(Y)	YELLOW	

10 Farmont Revised 2780

			198	O FAIRMONT CO	LOR GU	IDE
		Futura 2	-Door (	Coupe and 4-Door 9	Sedan (	less Tu-Tone)
EXTERIOR PAINT		TRIM		VINYL ROOF (if Ordered)		PAINT STRIPE
DK CHAMOIS METALLIC	(BA)	CARAMEL	m	LESS ROOF/ CARAMEL	(T)	CHAMOIS
		CARAMEL	(T)	WHITE	(VV)	WHITE
		WHITE/CARAMEL	(2)	LESS ROOF/	m	CHAMOIS
		WHITE/CARAMEL	(2)	WHITE	(T) (W)	WHITE
PASTEL SAND	(6D)	SAND	(Y)	LESS ROOF/SAND	(Y)	GOLD
		SAND	{Y}	BLACK	(A)	BLACK
		SAND	(Y)	WHITE	(W)	WHITE
		WHITE/SAND	(8)	LESS ROOF/SAND	{Y}	GOLD
		WHITE/SAND	(8)	WHITE	(W)	WHITE
DK. CORDOVAN METALLIC	(BN)	VAQUERO	(Z)	LESS ROOF/ CORDOVAN	(F)	DRANGE
		VAQUERO	(Z)	WHITE	(VV)	WHITE
		WHITE/VAQUERO	(9)	LESS ROOF/ CORDOVAN	(F)	ORANGE
		WHITE/VAQUERO	(9)	WHITE	(W)	WHITE
RED GLOW	(2H)	RED	(D)	LESS ROOF/RED	(D)	RED
		RED	(D)	WHITE	(W)	WHITE
		WHITE RED	1N.	LESS ROOF RED	1-1	<b>≱</b> H!IE
		WHITE/RED	(N)	WHITE	(W)	WHITE
CHAMOIS GLOW	(8W)	CARAMEL	(T)	LESS ROOF/	(T)	CHAMOIS
		CARAMEL	{T)	BLACK	(T)	OL ACK
		CARAMEL	m	WHITE	(A) (W)	BLACK
		WHITE/CARAMEL	(2)	LESS ROOF/		CHAMOIS
				CARAMEL	(T)	
		WHITE/CARAMEL	(2)	WHITE	(W)	WHITE
SAND GLOW	(60)	SAND	(Y)	LESS ROOF/SAND	(Y)	YELLOW
		SAND	(Y)	BLACK	(A)	BLACK
		SAND	(Y)	WHITE	(W)	WHITE
		WHITE/SAND	(8)	LESS ROOF/SAND	(Y)	YELLOW
		WHITE/SAND	(8)	WHITE	(W)	WHITE
BITTERSWEET GLOW	(8D)	VAQUERO	(Z)	LESS ROOF/ CORDOVAN	(F)	CORDOVAN
		VAQUERO	(Z)	WHITE	(W)	WHITE
		VAQUERO	(Z)	BLACK	(A)	BLACK
		WHITE/VAQUERO	(9)	LESS ROOF/ CORDOVAN	Œ	CORDOVAN
		WHITE/VAQUERO	(9)	WHITE	(F)	WHITE
		THIRTE YAGOERO	(3)	BALILLE.	(W)	131111C

Fairmont 11

# FAIRMONT SEDANS — MAJOR STANDARD FEATURES







#### MODELS


TWO-DOOR SEDAN

#### **EXTERIOR**

- Bright grille with bright surround molding
- Bright aluminum bumpers
- Bright moldings: windshield, backlite and drip rail
- Single rectangular headlamps
- Bright hub caps
- Front bumper guards

#### INTERIOR

- Low-back bucket seats in all-vinyl trim
- 10-ounce color-keyed cut-pile carpeting
- All-vinyl color-keyed door trim panels with bright accents
- Dark wainut woodtone applique around instrument cluster.
- Steering column multi-function levers with controls for: turn signals, horn, headlamp dimmer and windshield wipers/washers
- Coin tray integral with color-keyed shift boot
- Flat luggage compartment area covered with a full-vinyl mat
- Inside day/night mirror



#### **FUNCTIONAL**

- 2.3 Liter 4-cylinder OHC engine
- Fully synchronized floor-mounted
   4-speed manual transmission
- Rack-and-pinion steering
- Manual front disc/rear drum brakes
- Strut-type front suspension
- Coil spring four- bar link rear suspension
- Electronic voltage regulator
- Maintenance-free battery
- Wiper-mounted washer jets
- P-Metric steel-beited radial ply tires
- 3-speed heater/defroster
- High/Low, "ram air" ventilation
- Inside hood release

# FAIRMONT FUTURA — MAJOR STANDARD FEATURES



#### **EXTERIOR**

Fairmont Futura shares these features with the Fairmont 2- and 4-door sedan models

- e Bright aluminum bumpers
- Front bumper guards
- Bright grille with bright surround moldings
- e Bright moldings: windshield, backlite and drip rail

#### Additional features include

- Deluxe bodyside moidings with integral partial wheelip moidings
- Bright door belt moldings
- Dual rectangular headlemps
- Roof wrapover design (2-door, only)
- Argent turbine wheelcovers
- Bright left-hand door frame-mounted mirror, non-remote (2-door, only)
- Dual bright remote-control door frame-mounted mirrors (4-door, only)
  - Hood ornament
- Futura nomenclature on fender rear of wheel opening.

#### INTERIOR


The Futura shares many of the same interior features found on the Fairmont sedans. These features include

- · Low-back bucket seats
- 10-cunce color-keyed cut-pile carpeting
- Steering column multi-function levers with controls for: turn signals, horn, headlamp dimmer and windshield wipers/washers
- Coin tray integral with color-keyed shift boot
- Flat luggage compartment area covered with ₃ full-vinyl mat
- Inside day/night mirror

#### Additional features include

- Luxury door trim panels with high gloss woodtone applique and carpeting on the lower panel
- Pleated Corinthian vinyl seat trim
- Color-keyed deluxe seat belts
- Deluxe steering wheel hub
- High gloss woodtone applique around instrument panel cluster and right-hand panel





#### **FUNCTIONAL**

Futura shares many of the same features that are found on the Fairmont sedan models. These include

- 2.3 Liter 4-cylinder OHC engine
- Fully synchronized floor-mounted
   4-speed manual transmission
- · Rack-and-pinion steering
- Manual front disc/rear drum brakes
- Strut-type front suspension
- Coil-spring four-bar link rear suspension
- Electronic voltage regulator
- P-Metric steel-belted radial ply tires
- Maintenance-free battery
- Wiper-mounted washer jets
- 3-speed heater/defroster
- High/Low, "ram air" ventilation
- Inside hood release

Additional features include

- Deluxe sound package
- Halogen headlamps

# FAIRMONT STATION WAGON — MAJOR STANDARD FEATURES





#### MODEL

4-DOOR STATION WAGON

#### EXTERIOR

The Fairmont station wagon shares many of the same exterior features which are found on the 2- and 4-door sedan models. Some common features include

- Bright grille with bright surround molding
- Bright aluminum bumpers
- e Front bumper guards
- e Bright moldings: windshield, backlite and drip rail
- Single rectangular headlamps
- Bright hub caps

Additional features include

- Bright quarter window moldings
- Bright liftgate molding

#### INTERIOR


The Fairmont station wagon shares most interior features with the 2- and 4-door sedan. These features include

- Low-back bucket seats
- Coin tray integral with color-keyed shift boot
- 10-ounce color-keyed cut-pile carpeting
- Ail-vinyl door trim panels with bright accents
- Dark wainut woodtone applique around instrument cluster
- e Steering column multi-function levers with controls for: turn signals, horn, headlamp dimmer and windshield wipers/washers
- Inside day/night mirror

Additional features include

- e Fold-down rear seat with carpeting on seat-back
- Cargo area light
- Carpeted cargo floor





#### **FUNCTIONAL**

The Fairmont station wagon shares these features with the sedan models

- · Rack-and-pinion steering
- Manual front disc/rear drum brakes
- 2.3 Liter 4-cylinder OHC engine
- Fully synchronized floor-mounted
   4-speed manual transmission
- Strut-type front suspension
- Coil spring four-link rear suspension
- Electronic voltage regulator
- P-Metric steel-belted radial ply tires
- Maintenance-free battery
- Wiper-mounted washer jets
- 3-speed heater/defroster
- High/Low "ram air" ventilation
- Inside hood release

Additional features include

- · Easy open liftgate with gas-filled assist cylinders
- "Liftgate Open" warning light

# STANDARD EQUIPMENT SUMMARY

# FAIRMONT — STANDARD EQUIPMENT SUMMARY

BUMPERS Bright aluminum front and rear  BUMPER GUARDS, FRONT  State State  State State  State	addition to the standard features listed, Fairmont includes, as standard equipment, Ford Lifeguard Design Safety Features listed in the General Information Section		<b>EMEMONT</b>		FUT	URA
BUMPER GUARDS, FRONT GRILLE—Bight  HOOD—Hatch type with outside hood release Inside hood release Insi	(TERIOR			Station		4 Or Futer
BUMPER GUARDS, FRONT GRILLE—Bight  HOOD—Hatch type with outside hood release Inside hood release Insi	BUMPERS Sngfit aluminum front and rear	X	X	X	X	Х
GRILLE—Bright	7	×	X	X	Х	X
HOOD—Hatch type with outside hood release Huside hood release HuBCAPS—Bright metal LightTs—Single rectangular headilamps Dual rectangular headilamps Front parking/turn signal beside grille Front parking/turn signal beside grille Front parking turn signal beside marker in front fender Rear side marker in front fender  Vertical talkamps with integral side marker Honzonia talkamps Honzonia talkamps Handon—Bright outside left-hand Door-frame mounted Standard on 2-door Futura, only Dual bright remote-control, door frame-mounted Standard on 4-door Futura and included with Futura Deed Group on 2-door Futura Bright quarter window and liftgate window Bright door bet Bright door bet Bright Farmont script on decklid liftgate Bright Parking lamp bezels Bright Farmont script on decklid liftgate Bright parking lamp bezels Bright tailiamp bezels Bright parking lamp bezels Bright tailiamp bezels Bright tailiamp bezels Bright parking lamp bezels Bright parking lamp bezels Bright parking lamp bezels Bright tailiamp bezels Bright parking lamp bezels Bright par	GRILLE—Bright	X I	X		X	X
HUBCAPS—Bright metal		X	X		_	_
HUBCAPS—Bright metal X X X X X X X X X X X X X X X X X	* *	_	_		X	X
LIGHTS—Single rectangular headlamps .	HUBCAPS—Bright metal	×	x	×		-
Dual rectangular headlamps Front parking/turn signal beside gnile Front parking/turn signal beside marker Front parking turn signal betwie headlamps Front side marker in front fender Rear side marker in quarter panel Vertical taliamps with integral side marker Horizonia taliamps Backup lights in lower back panel MIRROR—Bright outside left-hand Door-frame mounted Standard on 2-door Futura, only Dual bright remote-control, door frame-mounted Standard on 4-door Futura and included with Futura Decor Group on 2-door Futura Decor Group on 2-door Futura Bright quarter window and liftgate window Deluxe bodyside with integral partial wheellip Bright door bet!  ORNAMENTATION—Bright FORD letters on grille and deckwd-liftgate Bright Fairmont script on deckid-liftgate Bright parking lamp bezels Bright parking lamp bezels Argent taliamp bezels Rear door window divider bat Non-functional louvers on B pillar Hood ornament, Front script on fender rear of wheel opening					_	
Front parking/turn signal beside grille Front parking turn signal below headlamps Front side marker in front fender Rear side marker in quarter panel Vertical failuamps with integral side marker Horizontal failuamps with integral partial with failuand fai					x	X
Front parking turn signal below headlamps Front side marker in front fender Rear side marker in front fender Rear side marker in quarter panel Vertical falliamps with integral side marker Horizonta falliamps with integral side marker Horizonta falliamps  Backup lights in lower back panel  MIRROR—Bright outside left-hand Door-hame mounted. Standard on 2-door Futura, only Dual bright remote-control, door frame-mounted. Standard on 4-door Futura and included with Futura Decor Group on 2-door Futura.  MOLDINGS—Bright windshield. backlife, grifle surround and dispiral.  Bright quarter window and liftgate window.  Delives bodyside with integral partial wheellip.  Bright foor belt.  ORNAME.NTATION—Bright FORD letters on grifle and deckid-liftgate.  Bright headlamp bezels.  Bright parking tamp bezels.  Bright parking tamp bezels.  Argent falliamp bezels.  Rear door window divider bar.  Non-functional louvers on B. pillar.  Hood ornament.  Front seminary bezers of wheel opening.		×	x	x	,	_
Front side marker in front fender Rear side marker in quarter panel Vertical tailiamps with integral side marker Horizonia, tailiamps with integral side marker Horizonia, tailiamps Backup lights in lower back panel MIRROR—Bright outside left-hand Door-frame mounted. Standard on 2-door Futura, only Dual bright remote-control, door frame-mounted. Standard on 4-door Futura and included with Futura Decor Group on 2-door Futura  MOLDINGS—Bright windshield backlitte, grifte surround and drip rail Right quarter window and liftgate window Deluxe bodyside with integral partial wheellip Bright Coor bet  CRINAMENTATION—Bright FORD letters on grille and deckid-liftgate Right headlamp bezels Right parking tamp bezels Argent tailiamp bezels Argent tailiamp bezels Rear door window divider bar Non-functional louvers on B pillar Hood ornament, Futura nomentifature on fender rear of wheel opening					x	×
Rear side marker in quarter panel  Vertical failitamps with integral side marker  Horizonta: failitamps with integral side marker  Horizonta: failitamps with integral side marker  X X X X X X X X X X X X X X X X X X X		×	×	t I		X
Vertical tailiamps with integral side marker Honzonia tailiamps						x
Horizonta: tailamps Backup lights in lower back paner  MiRROR—Bright outside left-hand  Door-frame mounted Standard on 2-door Futura, only  Dual bright remote-control, door frame-mounted Standard on 4-door Futura and included with Futura  Decor Group on 2-door Futura  MOLDINGS—Bright windshield backlite, grifle surround and drip rail  X X X X X X X X X X X X X X X X X X X		_				
Backup lights in lower back pane:  MIRROR—Bright outside left-hand  Door-frame mounted. Standard on 2-door Futura, only  Dual bright remote-control, door frame-mounted. Standard on 4-door Futura and included with Futura  Decor Group on 2-door Futura.  MOLDINGS—Bright windshield. backlite, grifle surround and drip rail.  Right quarter window and liftgate window.  Deluxe bodyside with integral partial wheellip.  Bright door bett		20				X
MIRROR—Bright outside left-hand Door-frame mounted. Standard on 2-door Futura, only Dual bright remote-control, door frame-mounted. Standard on 4-door Futura and included with Futura Decor Group on 2-door Futura.  MOLDINGS—Bright windshield backlifte, grille surround and drip reil.  Bright quarter window and liftgate window.  Deluxe bodyside with integral partial wheellip.  Bright door bet.  CRINAMENTATION—Bright FORD letters on grille and deckwid-liftgate.  Bright Fairmont script on deckird liftgate.  Bright parking tamp bezels.  Bright parking tamp bezels.  Argent tailiamp bezels.  Rear door window divider bar.  Non-functional louvers on. B. piliar.  Hood ornament.  Future nomenciature on fender rear of wheel opening.						X
Door-frame mounted. Standard on 2-door Futura, only Dual bright remote-control, door frame-mounted. Standard on 4-door Futura and included with Futura Decor Group on 2-door Futura.  MOLDINGS—Bright windshield backlite, griffe surround and drip rail.  Singht quarter window and liftgate window.  Deluxe bodyside with integral partial wheellip.  Bright door bett						X
Dual bright remote-control, door frame-mounted. Standard on 4-door Futura and included with Futura  Decor Group on 2-door Futura  MOLDINGS—Bright windshield backlite, griffe surround and drip rail.  Bright quarter window and liftgate window.  Deluxe bodyside with integral partial wheellip.  Bright door bett	· ·		^			
Decor Group on 2-door Futura  MOLDINGS—Bright windshield backlite, grifle surround and drip rail  Bright quarter window and liftgate window  Deluxe bodyside with integral partial wheellip  Bright door bet  ORNAMENTATION—Bright FORO letters on grille and deckild-liftgate  Bright Fairmont script on deckild-liftgate  X X X X X X X X X X X X X X X X X X X	T T				^	
MOLDINGS—Bright windshield backlitte, griffe surround and drip rail  Bright quarter window and liftgate window  Deluxe bodyside with integral partial wheellip  Bright door bett					i	х
Bright quarter window and liftgate window Deluxe bodyside with integral partial wheellip Bright door belt  CRNAMENTATION—Bright FORD letters on grille and decknid-liftgate XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		V	V	v	V	x
Deluxe bodyside with integral partial wheellip  Bright door best  CRNAMENTATION—Bright FORD letters on grille and deckild-liftgate  Bright Fairmont script on deckild-liftgate  X X X X X X X X X X X X X X X X X X X		^	~		^	^
Bright door belt  ORNAMENTATION—Bright FORD letters on grille and deckird-liftigate  Bright Fairmont script on deckird-liftigate  Bright headlamp bezels  Bright parking tamp bezels  Argent tailiamp bezels  Argent tailiamp bezels  Bright tailiamp bezels  Argent door window divider bar  Rear door window divider bar  Non-functional louvers on Bipiliar  Hood ornament,  Future nomenclature on fender rear of wheel opening				^	14	X
ORNAMENTATION—Bright FORD letters on grille and deckild-liftgate  Bright Fairmont script on deckild-liftgate  Bright headlamp bezels  Bright parking lamp bezels  Bright parking lamp bezels  Argent talliamp bezels  Bright t				_	0	û
Bright Fairmont script on deckird liftgate  Bright headlamp bezels  Bright parking lamp bezels  Argent tailiamp bezels  Argent tailiamp bezels  Bright tailiamp bezels  Argent tailiamp bezels  Bright tailiamp bezels  Bright tailiamp bezels  Bright tailiamp bezels  Argent door window divider bar  Rear door window divider bar  Non-functional louvers on Brilliar  Hood ornament ,  Future nomenclature on tender rear of wheel opening			-		0	x
Bright headlamp bezels Bright parking tamp bezels  Argent tailiamp bezels  Argent tailiamp bezels  Bright tailiamp bezels  Argent tailiamp bezels  Bright tailiamp bezels  Argent tailiamp bezels  Bright tailiamp bezels  Argent tailiamp bezels  Arg		0	0		0	
Bright parking tamp bezels  Argent tailiamp bezels  Argent tailiamp bezels  Bright tailiamp bezels  Rear door window divider bar  Non-functional louvers on Bipiliar  Hood ornament,  Future nomenclature on tender rear of wheel opening	T	0	0		0	X
Argent tailiamp bezels  Bright tailiamp bezels  Rear door window divider bar  Non-functional louvers on Bipiliar  Hood ornament ,  Future nomenclature on tender rear of wheel opening			0		0	x
Bright tailiamp bezels  Rear door window divider bar  Non-functional louvers on Bipiliar  Hood ornament ,  Future nomenclature on tender rear of wheel opening  — — — — — — — — — — — — — — — — — — —			0			X
Rear door window divider bar  Non-functional louvers on Bipiliar  Hood ornament ,  Future nomenclature on tender rear of wheel opening			^		^	^
Non-functional louvers on Bipliar Hood ornament ,  Future nomenciature on tender rear of wheel opening  — — — — — — — — — — — — — — — — — — —						U
Hood ornament ,  Future nomenclature on tender rear of wheel opening   — — — — — — — — — — — — — — — — — —					-	X
Future nomenciature on tender rear of wheel opening X				_	A M	
					X	X
WHEEL COVERS Assess To these	WHEEL COVERS—Argent Turbine				X	X

#### INTERIOR

ARMRESTS Front door integral door pull handles	X	х	X	Х	X
Rear	X	X	X	×	X
ASHTRAY—Front instrument panel	×	×	30	×	×
CARPET—Color-keyed cut-pile (passenger compartment)	X	X	X	X	X
Color-keyed load floor carpeting			x		
DOOR TRIM — All-vinyl, color-keyed with bright accents	X	X	X		_
Luxury evel with high gloss woodlone applique and carpeting			_	X	×
LOVE BOX—Squeeze type glove box latch	X	х	X	χ	X
HEADLINING—Preformed, color-keyed .	X	X	X	×	X
NSTRUMENT PANEL Color keyed with international symbols and knometer markings on speedometer	×	×	×	X	×
Woodtone applique on instrument cluster	20	×	×		
High gloss woodtone applique on instrument cluster and right hand panel				х	X
JGHTS—Driver courtesy dome front door switch	×	х	х	Ŷ	x
Cargo area			×	^ }	_
MIRROR—Inside day/rught rearview .	- 2	X	¥ I	Y :	X
SEATS—Low-back bucket, with adjustable head restraints	9	x	Ç	ŷ.	X
Fold down rear seal with carpeting on seat back	1 2		Q I	^	_ n
Automatic inert a seat-back release	×			x	
SEAT BELTS - Front continuous loop retractor in quarter panel rotating boot on front sill rear lap bells	^		_	^	
retractors on outboard beits		X	х	~	X
Color-keyed deluxe with comfort requiator feature		^		x	×
SEAT TRIM—All-vinyl		×	x	Ç	x
Pleated viny) sew style	1 ^	^	^	0	x
STEERING COLUMN CONTROL LEVERS—2- ever multi function design with controls for turn signa				^	^
		v		V	
horn, headlamp dimmer, windshield wipers/washers	- V	X	X	×	X
STEERING WHEEL—Color-keyed, 2-spoke	^	^	^	· ·	0
Deruxe hub				Α	^

#### **FUNCTIONAL**

ALTERNATOR 40 Ampere	X	х	×	X	X
BATTERY, MAINTENANCE-FREE 54 Ampere-hour in 49 states (45 Ampere hour in Castorn a)	X	Х	X	X	Х
BRAKES—Manual front disc rear drum .	X	X	×	Х	X
COOLANT RECOVERY SYSTEM	X	X	×	×	×
ELECTRONIC IGNITION—DuraSpark	X	X	×	X	Х
ENGINE—2.3 Liter 4-cylinder OHC	X	X	×	X	X
FUEL TANK—16 gallons	X	X	X	×	X
HALOGEN HEADLAMPS	_	_	_	X	X
HEATER DEFROSTER - Biend air type 3 speed blower	X	X	X	×	X
HOOD RELEASE, INSIDE	X	X	X	Х	X

Revised 2/80

# FAIRMONT -- OPTIONAL EQUIPMENT SUMMARY

add tion to the standard features isted. Fairmont includes as standard equipment		FAIRMONT	FJT	URA	
ONAL cont'd.  Single note TE— Two stage design with gas-filled assist cylinders TE WARNING LIGHT — Signals it ritigate is agar IG BRAKE— Foot operated with warning light PACKAGE, DELUXE ING—Manual rack-and-pinion NSION—Front Strut-type coil spring four bar link —P-Metric Steel Belted Radial Ply MISSION—4-speed manual, floor-mounted	Z-Dr. San	4-Dr. Stin	4-Door Station Wagon	2-Dr. Future	4-Or Felora
HORN—Single note	Х	Х	Х	х	Х
LIFTGATE— Two stage design with gas-filled assist cylinders	_	_	X	_	. —
LIFTGATE WARNING LIGHT Signals if iffgate is a ar		**	X		
PARKING BRAKE—Foot-operated with wathing light	l x	X	X	X	X
SOUND PACKAGE, DELUXE	-	_	_	X	X
STEERING—Manual rack-and-pinion	X	×	X	i x i	X
SUSPENSION—Front Strut-type	[ X ]	X	X	X	×
Rear, coil spring four bar link	[ X ]	×	X	X I	X.
TIRES—P-Metric Steel Belted Radial Ply	i x l	х	X	×	X
	1 × 1	X	X	X	X
VENTILATION—High/Low "ram air"	1 × 1	Х	X	Х	X
VOLTAGE REGULATOR—Electronic	X	X	X	Х	i x
WINDSHIELD WIPERS—2 speed electric with steering column control ever wiper mounted washer ets	X	X	X	X	X

NOTE: For complete option descriptions and illustrations of major options

DECOR GROUP EXTERIOR includes bright belt moldings by ght window trames iv ny insert lower bodyside moldings with integral upper wheelip moldings, body accent paint stripes, bright remote-control style mounted mirrors, agent turbine wheel covers and hood ornament. Not available with Futural Decor Group, Squire Option, Extenor Accent Group, ES option, trim rings/hub caps, or deluxe wheel covers P. 7 Options Section.

**DECOR GROUP, INTERIOR**—see Options Section for a complete description of option contents. Requires bright dual mirrors. Not available with manual transmission, Futura Decor Group, Interior Accent Group or ES option. Bucket seats are required when the automatic transmission is ordered. **P.8 Options** 

DEFROSTER, ELECTRIC REAR WINDOW not available with rear window defogger P 9 Options

refer to the Options section. The specific page number where an item appears in the Options section follows each option listed below		FAIRMONT	FUTURA		
GULAR PRODUCTION OPTIONS	2-De, Sen	4-0r. 8dn	4-Deer Station Wagen	Z-Dr. Futura	4-De. Futors
CCENT GROUP, EXTERIOR—includes bright bell moldings, wheelip moldings (deleted with furtione paint wide bodyside moldings), rocker panel moldings, deluxe wheel covers, hood ornament, and left-hand bright etyle mounted mirror. Required with bright window frames. Not available with Futura Decor Group, ES option, or on station wagon with Squire Option or Exterior Decor Group. P. 3 Options Section.  **CCENT GROUP, INTERIOR*—includes pleated seat frim (virry standard, cloth optional), deluxe steering wheel hub (except with ES option), deluxe sound package, carpeted lower portion of lift-gate (station wagon model), and partial door frim panel with bright, woodgrain race track molding. Standard on Futura.	ОРТ	ОРТ	OPT	NA	NA.
models and with Squire Option. Not available with Intenor Decor Group, or police and taxi packages.  Requires bucket seats with 2.3 liter engine and manual transmission. P. 3 Options Section	OPT	OPT	OPT	STD	эта
P. 3 Options Section	OPT	OPT	OPT	OPT	OPI
transmission. Not available with California or high attitude emission system. P. 4 Options Section BATTERY, HEAVY DUTY (45-AMPERE)—standard with 2 3L Turbo. 3 3L and 4 2L engines and in	OPT	OPT	OPT	OPT	OP
California P 4 Options Section  BATTERY, HEAVY-DUTY (54-AMPERE)—standard with 2.3 liter engine (49 states). Not available with	OPT	OPT	OPT	OPT	OP
police or taxi packages R. 4 Options Section	OPT	OPT	OPT	OPT	OP1
panel moldings when not standard P. 4 Options Section	OPT	OPT	OPT	OPT	OP
Section  BRAKES, POWER FRONT DISC—required with 2.3 liter 2V Turbocharger or 4.2 liter (255 CID) 2V engines, on station wagon model with 3.3 liter engine, on station wagon model with 2.3 liter engine and power windows or air conditioner, or on 4-door sedan with 3.3 liter (200 CID) 1V engine and flip-up open	OPT	OPT	OPT	OPT	OPT
air roof Standard with taxi packages P. 4 Options Section  BUMPER RUB STRIPS—standard with ES option. Requires rear bumper guards. P. 4 Options	OPT	OPT	OPT	OPT	OP1
Section  BUMPER GUARDS, REAR—standard with deluxe bumper group and ES option P. 4 Options	OPT	OPT	OPT	OPT	OP.
Section	OPT	OPT	OPT	OPT	OP.
CLOCK, ELECTRIC—not available with instrument cluster, or with police or taxi package. P. 5 Options  Section  CONVENIENCE GROUP  Includes vish vanity mirror de uxe court keyed seat beits istandard on Futura), cagar lighter, rear seat ashtray, and glove box lock. Standard with Interior Decor Group and	OPT	OPT	OPT	OPT	OP"
Futura Decor Group. P. 6 Options Section	OPT	OPT	OPT	OPT	OP.
Section	OPT	OPT	NA	OPT	Ob.

New or revised for 1980

Section .....

DEFLECTORS, MUD AND STONE-P 9 Options Section

OPT

OPT

OPT

OPT

NA.

NA.

OPT

OPT

NA:

NA

OPT

OPT

NA

NA.

OPT

OPT

NA.

NA.

OPT

OPT

# FAIRMONT - OPTIONAL EQUIPMENT SUMMARY

NOTE: For complete option descriptions and illustrations of major options refer to the Options section. The specific page number where an FAIRMONT FUTURA item appears in the Options section follows each option listed below 4-Door 2-Dr. 4-Dr. Station 2-0r. 4-Dr. REGULAR PRODUCTION OPTIONS cont'd San Són Wagon Futura Fplore. EMISSION SYSTEM, HIGH ALTITUDE—available only with 3 3 litter (200 CID) 1V or 4.2 litter (255 CID) 2V engine with SelectShift automatic transmission. Not available with floor shift, California emission system or with powce or taxi packages. P. 10 Options Section ..... OPT OPT OPT OPT OPT EMISSION SYSTEM, CALIFORNIA-required on vehicles to be registered in the state of California. Not available with 3.3 liter (200 CID) 1V engine in combination with manual transmission, or high altitude emission system P. 10 Options Section ..... OPT OPT OPT OPT OPT ENGINE, 2.3 LITER 2V 4-CYLINDER TURBOCHARGED-requires floor-mounted automatic transmission and instrumentation cluster at extra cost. Not available with 45-ampere battery or high altitude OPT OPT OPT OPT OPT ENGINE, 3.3 LITER (200 CID) 1V 8-CYLINDER-includes bench seal. Requires power from disc brakes on station wagon model. Not available with California or high altitude emission system, or flight bench seat in combination with four-speed manual overdrive transmission. P. 10 Options Section OPT OPT OPT OPT OPT ENGINE, 4.2 LITER (255 CID) 2V 8-CYLINDER (VARIABLE VENTURI CARBURETOR IN STATE OF CALIFORNIA)—includes bench seat. Requires SelectShift automatic transmission, power front disc brakes, power steering, and P185/75RX14 hires in combination with air conditioner P. 10 Options Section CIPT UPT OPT OPT OPT ES OPTION-see Option Section for a complete description of option contents. Available only on Fairmont sedan models. Not available with Exterior Accent Group, frim rings/hub caps, tu-tone paint, accent stripe, Futura Decor Group, deluxe wheel covers, bright window frames, police or faxi packages. P. 11 Options Section PI OPT NA NA NA FLOOR SHIFT (AUTOMATIC TRANSMISSION)-requires bucket seats. Not available with police or taxi packages. Required with 2 3L Turbo. P. 11 Options Section OPT OPT OPT OPT OPT FUTURA DECOR GROUP-includes detuxe cloth flight bench seat with fold-down center armrest, fuxury steering wheel, unique high gloss woodgrain instrument panel appliques, upgraded sound package 18-oz. cut-pile carpeting, luggage compartment trim, Convenience Group cloth headkning and sun visors (viny) with white trim 2 door only), bodyside accent paint stripe, bright window frame moldings. and dia prophrem selection marks again in a Standard naid. Futura Pill Options Section NA NA NA OPT OPT FUTURA SPORTS GROUP-includes color-keyed turbine wheel covers, charcoal argent painted grille louvers and youth" tape stripe. Hood ornament and standard B pillar louvers and accent stripe de-NA NA. OPT OPT NA. GLASS TINTED (COMPLETE) or immended with all order her Pil2 Options Section OPT OPT OPT OPT OPT INSTRUMENTATION CLUSTER -includes tachometer, trip odometer, ammeter, temperature gauge, oil pressure gauge, and liftgate ajar light on station wagon model. Not available with electric clock, or with police or taxi packages. Required with 2 3L Turbo. Also, models with automatic transmission require floor shift and bucket seats P. 13 Options Section ...... OPT OPT OPT OPT OPT LIGHT GROUP—includes luggage compartment light (sedans and Futura), ashtray light, glove box light, engine compariment, ght passengerd to liunesy grt reard to courtesy ght 4 door sedan, 4 door Future and station wagon) and dual beam map light. Luggage compartment light and map light deleted OPT OPT OPT OPT OPT LOCKS, POWER DOOR P. 14 Options Section .... OPT OPT OPT OPT OP1 LUGGAGE RACK—available only on station wagon model P. 14 Options Section ...... NA NA OPT NA NA MIRRORS, DUAL BRIGHT REMOTE CONTROL-standard with Exterior Decor Group, ES option (black), 4-door Futura or Futura Decor Group (2-door only). Required with power windows, manual vent windows or Interior Decor Group, unless ordered with Extenor Decor Group or ES option P. 15 Options OPT OPT OPT OPT STO MOLDINGS, ROCKER PANEL—standard with Exterior Accent Group or lower bodyside protection P. 16 Options Section OPT OPT OPT OPT OPT MOLDINGS. VINYL INSERT BODYSIDE - notudes black vinyl insert brown with Squire Option. Not available with Extenor Decor Goup or ES option P. 16 Options Section ...... OPT OPT OPT NA NA. MOLDINGS, WIDE VINYL INSERT BLACK BODYSIDE—requires Special Tu-Tone Extenor Paint treatment and Exterior Accent Group on 2-door and 4-door sedan models. P. 16 Options Section ....... OPT OPT NA. SID STD OPT OPT OPT OPT OPT PAINT, ES OPTION TU-TONE - avai able on y with ES option P 17 Options Section OPT OPT NA NA. NA. PAINT, TU-TONE SPECIAL—sedan models include a narrow tri-color border tape at upper bodyside character line and at lower bodyside character line, and tu-tone paint dark color to be sandwiched below upper character line and above lower character line. Futura models include front and rear bodyside. molding extensions, a narrow tri-color border tape at upper front and rear character line including tape over the roof, and tu-lone paint dark color above upper front and upper rear character line including over roof, and dark color below character line. Not available on Futura Sport Coupe with full or half-vinyl roof. Requires wide vinyl insert bodyside moldings on Fairmont 2-door and 4-door sedans. P. 17 Options Section . ..... OPT OPT OPT NA. OPT



# FAIRMONT - OPTIONAL EQUIPMENT SUMMARY

NOTE: For complete option description and illustrations of major options refer to the Options section. The specific page number where an item appears in the Options section follows each option listed below

PROTECTION GROUP—includes color-keyed 14-oz. nylon carpet mats, door edge guards (woodgrain with Squire Option), and ildense plate frames, rear only when front, cense plate bracket is not ordered,	OPT OPT OPT	4 Or 8dn	4 9r Station Wgn	2-Or Futura	4-Or Folum
PROTECTION GROUP—includes color-keyed 14-oz, nylon carpet mats, door edge guards (woodgrain with Squire Option), and ildense plate frames, rear only when front, cense plate bracket is not ordered, P. 18 Options Section.  RADIO, AM—not available with Premium Sound System. P. 18 Options Section.  RADIO, AM, FM MONAURAL—not available with Premium Sound System. P. 18 Options Section.  RADIO, AM, FM STEREO—includes two instrument panel-mounted speakers and dual rear seat speakers. P. 18 Options Section.	OPT OPT	OPT	OPT	OBY	
PROTECTION GROUP—includes color-keyed 14-oz, nylon carpet mats, door edge guards (woodgrain with Squire Option), and ildense plate frames, rear only when front, cense plate bracket is not ordered, P. 18 Options Section.  RADIO, AM—not available with Premium Sound System. P. 18 Options Section.  RADIO, AM, FM MONAURAL—not available with Premium Sound System. P. 18 Options Section.  RADIO, AM, FM STEREO—includes two instrument panel-mounted speakers and dual rear seat speakers. P. 18 Options Section.	OPT OPT	OPT	OPT	ART	
P. 18 Options Section  RADIO, AM—not available with Premium Sound System. P. 18 Options Section  RADIO, AM, FM MONAURAL—not available with Premium Sound System. P. 18 Options Section	OPT			OPT	QP1
P. 18 Options Section RADIO, AM—not available with Premium Sound System. P. 18 Options Section RADIO, AM, FM MONAURAL—not available with Premium Sound System. P. 18 Options Section	OPT				
RADIO, AM—not available with Premium Sound System. P. 18 Options Section	OPT	OPT	OPT	OPT	OP1
RADIO, AM, FM MONAURAL—not available with Premium Sound System P. 18 Options Section RADIO, AM, FM STEREO—includes two instrument panel-mounted speakers and dual rear seat speakers. P. 18 Options Section .		OPT	OPT	OPT	OP:
RADIO, AM, FM STEREO—includes two instrument panel-mounted speakers and dual rear seat speak- ers. P. 16 Options Section .	0	OPT	OPT	OPT	OP.
ers. P. 16 Options Section .		0. 1	011	0,1	0,
ISLANDA SINCER STEERING WITER SUSSEINE TE ASKIE-ANCHOOR TWO INSTRUMENT OR OUT OF AN ARCHITICAL CONSUME.	OPT	OPT	OPT	OPT	OP
and dual rear seat speakers P. 19 Options Section .	OPT	OPT	OPT	OPT	OP
IADIO, AM/FM STEREO WITH 6-TRACK TAPE—includes two instrument panel-mounted speakers and dual rear seat speakers. P. 18 Options Section.	OOT	OPT	OPT	0.07	A.D.
ADIO FLEXIBILITY OPTION—includes all ignition/electrical suppression equipment, two front speak- ers, complete wiring for four speakers (rear speakers not included), package tray or rear quarter trim panel provision for rear speakers, conventional antenna and cable, and radio installation kit. Available	OPT	QP1	OPT	OPT	OP
only for stock orders. Not available with other radio options. NOTE: Prices include AM radio to be in- stailed by dealer or credited against price of a more expensive audio system. P. 20 Options Section BOOF, FLIP UP OPEN AIR—not available on station wagon model, or with map light or police or taxi package. Requires half vinyl roof on Future model, and power front disc brakes on 4-door sedan with 3-3.	ОРТ	OPT	OPT	OPT	OP'
the same of the sa	OPT	OPT	NA	OPT	OP
Group or ES option on sedan mode's excluding Fig. an mode's P 20 Options Section	OPT	OPT	NA	OPT	OP
toof REAR HALF VINYL available only un Futura Loupe mode, with tip up open air roof P 20 Op-	NA	NA	NA	OPT	NA.
EAT, VINYL BENCH-standard on models with 3 3 liter (200 CID) 1 V or 4 2 liter (255 CID) 2V engine	140	No		0,	140
Available also on mode's with 2.3. Ler engine and Selection It automatic transmission, without floor shift.		Abr	000		
EAT POWER—SINGLE CONTROL may available with bunker sea \$ 2.3 for engine with manual	OPT	OPT	OPT	OPT	OP
transmission, or taxi package P 21 Options Section	OPT	OPT	OPT	OPT	OP
EAT (BASE LEVEL) CLOTH AND VINYL BENCH available of your Farmont sedan models P 20	OPT	OPT	OPT	OPT	OP
0	OPT	OPT	NA	NA	NA
mer or De Shout P 21 Options Section	OPT	OPT	OPT	OPT	OP
PEED CONTROL, FINGERTIP—includes luxury steering wheel. Not available with aport steering wheel, high altitude emission system, or taxi package. Required with leather-wrapped steering wheel. Also, when ordered with police package requires first gear tockout—delete. P. 23 Options Section	ОРТ	OPT	ОРТ	OPT	OP
P. 24 Options Section	NA	NA	OPT	NA	N/
STEERING WHEEL, SPORT—standard with ES option. Not available with fingertip speed control, till steering wheel, or police or taxi packages. P. 25 Options Section.	OUT	OPT	COT	ODE	000
TEERING WHEEL, LEATHER-WRAPPED (COLOR KEYED) requires fingert pispeed control and	OPT	OPT	OPT	OPT	OP
Interior Decor Group or Futura Decor Group. Not available with police or taxi packages. P. 24 Options					
Section TEERING, POWER—standard with poice and tax packages. Required with 4.2 (iter (255 CID) 2V en-	OPT	OPT	OPT	OPT	OP
gine or tift steering wheel at extra cost. Not available on station wagon model with 2.3 liter engine. P. 24					
Options Section	OPT	OPT	OPT	OPT	OP
TEERING WHEEL, TILT—includes luxury steering wheel and requires power steering. Not available with sport steering wheel, or taxi package. P. 25 Options Section.	OPT	OPT	OPT	OPT	OP
TORAGE BOX, LOCKABLE—available only on station wagon model. Required with rear window wiper/washer R 25 Options Section	NA	NA	OPT	NA	N/
TRIPE ACCENT Includes over roof strip on Futura Coupe mode. Included with Exter or Decor Group					
and Futura Decor Group. Not available with Squire Option or ES option. P. 17 Options Section.  USPENSION, HANDLING—includes unique shock absorber valving and double-acting piston, rear stabilizer bar, increased diameter front stabilizer bar (2.3 liter and 3.3 liter engines), 5.5 inch wheels, modified rear spring rates, and front and rear suspension lower arm bushings. Standard with ES option.	OPT	OPT	OPT	OPT	OP
Not available on station wagon model, or with heavy-duty load suspension, police or taxi package. Re-	0.00	-	810		
quires P185/75R tires. P. 25 Options Section  RANSMISSION, SELECTSHIFT AUTOMATIC—standard with police or taxi package. Required with	OPT	OPT	NA	OPT	OP
high altitude emission system, 3.3 liter engine with California emission system, or 4.2 liter engine. Not available on station wagon moder with 3.3 liter engine in combination with high altitude emission system.					
or on station wagon model with 2.3 liter engine. P. 26 Options Section .	OPT	OPT	OPT	OPT	OP

New or revised for 1980

# FAIRMONT — OPTIONAL EQUIPMENT SUMMARY

NOTE: For complete option descriptions and illustrations of major options refer to the Options section. The specific page number where an item appears in the Options section follows each option listed below.


		FA RIMONT		FUT	TURA
REGULAR PRODUCTION OPTIONS cont'd	2-Dr. Sda	4 Dr San	4 Dr Staling Wgn	2 Dr Fetora	4-Or. Felore
TIRE, CONVENTIONAL SPARE—replaces standard P185/B0x14 lightweight spare fire. Not available					
with police package. P. 26 Options Section	OPT	OPT	OPT :	OPT	OPT
TIRES, WSW AND RWLP P. 26 Options Section .  TRIM (ACCENT LEVEL), CLOTH AND VINYL SEAT—available only on Futura or with Interior Accent	OPT	OPT	OPT	OPT	OPT
Group or Squire Option, bench or bucket seets. P. 22 Options Section	OPT	OPT	ODT	ODT	OPT
TRIM (DECOR LEVEL), CLOTH AND VINYL SEAT-standard with Futura Decor Group. Available only	OF	UPI	OPT	OPT	OPT
on station wagon model with Intenor Decor Group P. 22 Options Section	NA	NA	OPT	OPT	OPT
TRIM, VINYL SEAT—standard on station wagon model with Interior Decor Group. Available only on	1	197	0,1	01.1	OF
models with Futura Decor Group. P. 22 Options Section	NA	NA	OPT	OPT	OPT
TRIM RINGS HUB CAPS—not available on Futura, or with Exterior Decor Group, or ES option. P. 28 Op-					
tions Section	OPT	OPT	OPT	NA	NA
VENT WINDOWS, PIVOTING FRONT—not available on Futura Coupe model. Requires bright, remote	}				
control mirrors, ES option, or Exterior Decor Group. Also, required with power windows. P. 27 Options. Section.	0.00				
VENTILATION LOUVERS (COLOR-KEYED) standard with ES option (brack Available only on sedan	OPT	OPT	OPT	NA	OPT
models Not available on police or taxi packages. Requires Extenor Accent Group or Futura Decor					
Group P. 26 Options Section	OPT	OPT	NA	OPT	OPT
WHEEL COVERS DELLIXE standard with Squire Option or Exterior Accent Group. Not available with	0, .	0,	1474	OF	QF 1
ES option, or Extenor Decor Group P. 27 Options Section	OPT	OPT	OPT	NA	NA
WHEEL COVERS, TURBINE—argent on Futura models, with Exterior Decor Group and with ES option				,	
Color-keyed with Futura Sports Group. Not available with police or taxi packages. R 27 Options					
Section	OPT	OPT	OPT	STD	STD
WHEFL COVERS WIRE not available with police or fax packages P 27 Options Section	OPT	(PT	OPT	OPT	OPT
WHEELS FOUR CAST ALUMINUM—not available with police or tax package. P. 28 Options Section. WHEELS WITH TRIM RINGS. FOUR STYLED STEEL—not available with ES option or on station wagon.	OPT	OPT	OPT	OPT	OPT
mode with 4.2 Her engine and air conditioner or with police or tax packages. P. 29 Options Section.	OPT	, PT	OPT	NA	NA
WINDOW FRAMES BRIGHT standard with Futura Decor Group Squire Option or Exterior Decor					
Of D. Regulies Exterior Accent Group. Not available with ES option. P. 29 Options Section.	OPT	OPT	CPT	OPT	OPT
WINDOWS, POWER SIDE—require dual remote control mirrors, ES option or Exterior Decor Group					
Also, require pivoting front vent windows (except on Futura Coupe). Not available with police or taxi					
package P. 29 Options Section	OPT	OPT	OPT	OPT	OPT
WINDSHIELD WIPERS, INTERVAL p. 29 Options Section	OPT	OPT	OPT	OPT	OPT
WIPER, WASHER, REAR WINDOW — available only on station wagon model. Requires lockable storage	ALA	01.5	007	61.5	
box at extra cost P. 29 Options Section	NA NA	NA	OPT	NA_	NA

#### LIMITED PRODUCTION OPTIONS

HEATER, ENGINE BLOCK IMMERSION	OPT	OPT	OPT	OPT	OPT
MAPLIGHT available only on 4 door sedan model, standard with police package. Available only for fieet	NA	OPT	NA	NA	CPT
FLOOR MATS_FRONT (COLOR-KEYED) standard with Protection Group. Available only for figet	CPT	OPT	OPT	JPT	OPT
LIGHTER CIGAR standard with Convenience Group Interior Decor Group and police or tax pack			V, ,	Ü,	0, 1
ages. Available only for fleet	OPT	OPT	OPT	OPT	OPT
LIFTGATE ASSIST HANDLE available only on station wagon model	NA	NA	OPT	NA	NA
FIGHT, LUGGAGE COMPARTMENT - standard on stat on wagon model, cargo, ght, and with aght group	OPT	OPT	STD	OPT	OPT
MAP LIGHT, DUAL BEAM—standard with light group. Available only on fleet sedan models	OPT	OPT	OPT	JPT	OPT
MIRROR, LEFF-HAND REMOTE CONTROL—standard with dual bright remote-control mirrors. Not				0. 1	Ų
available with pivoling front vent windows. Available only for fleet	OPT	OPT	OPT	OPT	STD
GLASS, TINTED (WINDSHIELD)—available only for fleet	OPT	OPT	OPT	OPT	OPT
BATTERY, EXTRA HEAVY-DUTY 77-AMPERE—standard with police or taxi packages. Available only for			0.,	1	27
"leet	OPT	OPT	OPT	OPT	OPT
SUSPENSION HEAVY-DUTY LOAD includes unique shock absorber valving except station wagon					
moder and front rear ower arm bushings increased diameter front stabilizer bar lexcept station wagon					
model, or sedan models with 5 0 liter engine), increased front and rear spring rates, and 5 5 inch wheels					
Not available on Futura mode's or with ES option, handing suspension, or police or taxi package.	OPT	OPT	OPT	NA	NA

Revised 2/80

#### FAIRMONT — CHASSIS FEATURES




#### UNDERBODY CONSTRUCTION

Fairment's underbody provides an efficient structural platform for attaching the drivetrain, steering and suspension systems. Much of its support ability comes from welding the front, rear and side rails together with the floor pan, crossmembers and torque boxes

Some of the features and advantages of unitized body construc-

- Improved fit and alignment of doors, hood and decklid with lighter weight
- The floor pan has stamped-in stiffeners and a full-length tunnel which helps rigidity in the passenger compartment
- The front suspension strut attaching points and engine front mounting brackets are integral with the fender aprons and side rails for added rigidity
- Rubber insulators used at all points of contact between the body and the front and rear suspensions and engine help absorb noise, vibration and harshness before they reach the passenger compartment
- Complete Isolation of the number 3 crossmember, which serves as the rear engine mount, reduces engine and powertrain vibration



#### ZERO SCRUB GEOMETRY

#### FRONT SUSPENSION

Fairmont's front suspension design incorporates a variation of the MacPherson strut suspension. The Fairmont suspension design utilizes a coil spring between the lower suspension arm and the number 2 crossmember.


Major design features and benefits of Fairmont's suspension are

- The strut replaces the conventional upper arm and ball joint, resulting in a simplified design
- The anti-roll bar connects the right- and left-hand lower suspension arms to assist stability during cornering

- The mounting of the coil spring between the lower suspension arm and the number 2 crossmember helps absorb the vehicle weight without additional reinforcements at the upper strut attaching points
- The turning axis intersects the road surface 0.2-inches inboard of the centerline of the tire, achieving a near "zero scrub geometry." The effect of "zero scrub" is to reduce the steering effort
- Rubber bushings at the attaching points of the lower suspension arms and upper strut mountings help reduce the transfer of road noise and vibration



ZERO SCRUB GEOMETRY



#### **REAR SUSPENSION**

Fairmont features a four-link suspension with coil springs

Important rear suspension features include

- Four angular placed arms control the position of the rear exie assembly and absorb braking and acceleration forces
- Coil springs and shock absorbers are positioned vertically outboard of the rear rails for good ride control
- Suspension arms, coil springs and shock absorbers are mounted on large rubber bushings to help reduce noise and vibration
- Insulators on the coil springs help reduce vibrations before reaching the passenger

NOTE An optional handling suspension incorporating a rear stabilizer bar is also available for 2- and 4-door sedan and Futura moders. It is included with the ES option.


#### **FAIRMONT SUSPENSION SPECIFICATIONS**

FRONT	
Туре	Strut-Type with near Zero Scrub Radius Geometry
Springs	Coil, Rubber-Insulated, Mounted on Lower Suspension Arm
Shock Absorbers	. Direct, Telescopic Double-Acting Hydraulic
Anti-Roll Bar	
Wheel Bearings	laper Holler
Lower Arm	"A" Configuration with Directional Voided Bushings

#### REAR

Type Four-Bar Link Design
Springs
Shock Absorbers

# FAIRMONT — CHASSIS FEATURES



#### MANUAL RACK-AND-PINION STEERING

Fairmont's rack-and-pinion steering provides precise steering response with minimum effort, in this system a pinion gear, mounted directly to the steering shaft, engages a linear-toothed sect on (the rack). This simple, direct system eliminates the pitman arm, drag link and recirculating gear box found on conventional steering systems. Other design features and benefits include.

- A universal joint collar at the forward end of the steering gear shaft permits the shaft to deflect in the event of collision. The joint minimizes road vibrations transmitted to the steering wheel
- The steering housing is mounted on two rubber bushings to reduce road shock and noise
- Tre rods are short and attached directly to the spindle arms
   See page 24 of this section for additional steering specifications

#### POWER RACK-AND-PINION STEERING

Fairmont's optional power rack-and-pinion steering features a variable ratio design. The system features a unique rack in that the tooth pressure angle is varied in spacing as it progresses loward each end of the rack. A high on-center ratio provides stable steering feel during normal straightaway driving. But the variable tooth spacing reduces the ratio as the wheel is turned off center, increasing the rate of turn of the front wheel.

A lightweight steering pump helps provide extra power that is needed for low speed turning and parking. At highway speeds, the steering pump reduces power to provide a good "feel" of the road.

#### FRONT DISC/REAR DRUM BRAKES

Front disc brakes and rear drum brakes are standard on all Fairmont models

Front disc brake pad clearance is automatically maintained by the action of the piston seal. Fairmont's rear drum brakes are self-adjusting. Self-adjustment is accomplished when the brake is applied while the car is moving in reverse.

The parking brake is mechanically applied by a convenient foot pedal and is released by a handle below the instrument panel

Power front discrear drum brakes are available as an option and required with the 2.3L Turbo and 4.2 Liter (255 CID) engines. Also, power brakes are required on the station wagon with 3.3 Liter (200 CID) engine and all models with automatic transmission.

See page 24 in this section for brake specifications and the General Information Section for a detailed description of the Ford brake system


#### MANUAL TRANSMISSION

A floor-mounted 4-speed manual transmission is standard on all Fairmont models with the standard 2.3 liter 4-cylinder. Design features and benefits include

- Lightweight aluminum clutch and extension housing
- Optimum spacing between gear ratios for smooth, efficient performance
- A European-type, single-rail, enclosed shift mechanism for a more positive shift "fee!"

A floor-mounted 4-speed manual overdrive transmission is standard on all models equipped with the optional 3.3 liter (200 CID) engine. This transmission features single rail shift control linkage and a lightweight aluminum extension housing case and bearing retainer. See the Powertrains Section for a more detailed description of both manual transmissions.

# FAIRMONT - BODY FEATURES




#### **BODY CONSTRUCTION**

The new Fairmont features unitized body construction. Design features and benefits include

- Body panels, back panel, roof, windshield header and roof rails are welded to the cowl, dash panel and front-end structure
- The large section cowl panel structure is specially shaped to increase rigidity to the cowl area
- Full box section used in front and center roof pillars helps provide rigidity. The roof pillars have a narrow design to help provide a high level of glass area
- Door hinges are bronze-bushed for long wear and ease of operation

# FAIRMONT — BODY FEATURES



#### **BODY INSULATION**

The following insulation materials are used in Fairmont to help reduce road and engine noise

- (1) The hood has a 1-inch fiberglass insulation pad on all models except sedans and station wagon with 2 3L and 3 3L engines and base trim
- (2) The dash panel has 1-inch, 125-gram cotton fiber with 12oz per sq ft plastisol coating extending around to the cowl sides.
- (3) The cowl top panel has a 1/2-inch, 85-gram molded cotton foer absorber
- (4) Cowl side trim panels have a 1-inch, 125-gram cotton fiber pad with 12-oz, per sq. ft plastisol coating Fiberglass pad between cowl side outer and fender on all models except sedans and station wagon with 2 3L and 3 3L engines and base trim
- (5) The floor pan, except rear seat footwells (including the drive line tunnel), the forward portion of the luggage compartment and above the rear suspension are coated with heat-bondable mastic
- (6) The roof is lined with 1/2-inch, 56-gram fiber
- (7) Rear pillars have a self-adhesive mastic insulator attached at the trim panels
- (8) The package tray strainer on sedan models is covered with a 1/2-inch, 76-gram wood fiber absorber with one-side polypropy ene mesh and a polyethylene film on both sides. These materials are extended down to the axle kick-up and outboard to the rear wheelhouses.
- (9) The package tray has a hardboard with die-cut cotton insulator
- (10) 2-door Sedan and 2-door Futura models have a molded fiber absorber in the quarter trim panel
- (11) The station wagon has a molded fiber pad with 12-oz. per sq. ft plastisol coating on the rear wheelhouse, behind the seat belt retractors, and extending to the rear of the vehicle
- (12) Carpeting is backed with a 1/2-inch, 130-gram per sq. ft. fiber pad.
- (13) Station wagon trim panel has a fiber pad attached to the trim
- (14) Die cut mastic and cotton pad under rear seat of all sedans and Futura except sedans with base interior trim.
- (15) Molded plastisol coated cotton pad under seat of station wagen
- NOTE. The Interior Decor Group has rear wheelhouse insulation, carpeted luggage compartment. Station wagons with the Interior Decor Group and Interior Accent Group include carpeting on liftgate

#### **BODY SEALING MATERIAL**

The following joint sealers and special anti-squeak and sealing devices are used in all Fairmonts to help assure a comfortable quiet ride

- Plastic sealing material applied to exposed spot-welded body panel seams, joints and any exposed holes on the inner side members
- Vinyl-plastic seals on the drip rails and rear deck trough.
- Windshield and backlites sealed with butyl tape
- Special pads, grommets, seals and plug buttons to guard against dust and drafts
- Heat-curing sealer applied to all other panel seams and joints
- Large diameter, tubular weatherstripping to provide tight seals around all doors

#### SEAT CONSTRUCTION

Low-back bucket seats, with adjustable head restraints are standard on all models equipped with 2.3 liter engine. Bench seats are standard on all models with the 3.3 liter (200 CID) and 4.2 liter (255 CID) engines.

A flight bench seat is included with the Interior Decor Group

Front seats are constructed of molded foam supported by springs. The rear seats feature full foam padding.

The front seats are attached to strong roller bearing tracks which provide up to five inches of seat adjustment.

An automatic inertia seal-back release is standard on the 2-door sedan and Futura. When the vehicle is not in motion, or when traveling at steady speeds, this feature allows the front seat to be flipped forward without using any seat-back release latch. But, during any change in vehicle motion, rapid deceleration or cornering, the seat-back is automatically locked in position.

#### DOOR CONSTRUCTION

Fairmont's doors are formed into a sturdy box unit by utilizing a double-panel, wetded construction. Bronze-bushed hinges are oil-impregnated for easy door opening effort. A check feature is provided to hold the doors in the full open position. Keyless door tooking and reversible keys for door and trunk locks are additional Fairmont convenience features.

#### WINDOW CONSTRUCTION

Side and backlite windows on all Fairmont models are constructed of high-strength, impact-resistant, heat-tempered grass. The windshield incorporates two sheets of grass which are sand wiched to a 30-mil thick plastic sheet and heat laminated. This type of windshield construction provides pliability, which enables the windshield to have "stretch under impact," thus reducing glass penetration injuries

#### FAIRMONT — BODY FEATURES

#### HOOD CONSTRUCTION

Fairment's hood is held open by a conveniently located propined A single-tever hood latch, located in the grille, permits one-hand opening of the hood.

An inside hood release is standard on Futura models and is available on all other models as part of the Convenience Group and on station wagons as part of the Interior Decor Group

#### **HEATING SYSTEM**

Fairmont's high-capacity heater uses the blend-air principle of temperature control. Temperature is controlled by regulating the amount of air which passes through the heater core

Heat, defrost, temperature controls and the three-speed blower switch are located to the right of the instrument cluster within easy reach. Use of the defroster lever directs air to flow through slit-type openings on the instrument panel to defog the windshield.


#### **VENTILATION SYSTEM**

The Fairmont ventilation system features both high and low "ram air" ventilation

Two fully adjustable air registers, one in each end of the instrument panel, are used. These are the same registers used with the optional SelectAire air conditioning system. Air flow from the registers can be adjusted by moving the louvers to the left, right up or down. Also, there are two outlets under the instrument panel, directed toward the toe board.

The distribution of air can be controlled or shut off between the panel registers and the floor-directed outlets by push-pull rods located below the registers.

On sedan mode's equipped with the ES option rear quarter venfilation touvers are included. These louvers allow direct ventilation without rolling down the windows.



#### INSTRUMENT PANEL

The Fairmont instrument panel is designed for driver convenience. The instrument cluster includes woodfone applique international symbols, warning lights plus the speedometer with kilometer markings. There is also a provision for the optional electric analog clock.

To the right of the instrument cluster are the heater and optional air conditioning controls

For additional driver convenience, Fairmont features steering column control levers with functions for horn, turn signals, headlamp dimmer and windshield wipers/washers.

On moders equipped with optional automatic transmission, the PRNDL" indicator is vertically mounted in the instrument panel for better visibility.

On the right hand side is a color keyed applique and glove box with a squeeze-type latch. A glove box lock is included when the optional Convenience Group or the Interior Decor Group is ordered.

Woodtone applique for the right-hand panel and radio surround is standard on Futura and included with the Interior Accent Group for all other models, and with the Interior Decor Group for station wagon.



#### LUGGAGE COMPARTMENT

The Futura and sedan mode is feature a spacious "flat floor design luggage compartment. The spare tire is stored under the floor allowing the entire luggage area to be used for storage."

A mat with insulation which covers the floor is standard on both the 2- and 4-door models. A mat with an insulator pad is standard on Futura and included with the Interior Accent Group. Luggage floor carpeting with insulator pad is included with the Futura Decor Group

See page 24 of this section for luggage capacity



#### **CARGO AREA**

The Farmont station wagon features a large flat cargo area which offers still more space when the second seat is folded down

The spare tire is stored under the floor, providing more room for cargo

Color-keyed load floor carpeting and a convenient cargo area light are standard equipment

See page 24 of this section for cargo carrying capacities

Revised 2 80 Fairmont 23

# FAIRMONT — GENERAL SPECIFICATIONS

BODY DIMENSIONS		FAIRMONT		FUT	FUTURA	
A gimensions in nones unless otherwise stated	2-Door Sedan	4-Door Sedan	Station Wagon	2-Door Future	4-Door Futura	
GENERAL						
Wheelbase	105.5	105 5	105.5	105.5	105 5	
Tread—Front	56.6	56 6	56 6	56.6	56.6	
—Rear	57 0	57 0	57.0	57.0	57.0	
Height—Overall	52 9	52 9	54.2	51.7	51 7	
Length-Overall	195 5	195 5	195.5	197 4	197 4	
Width—Overall	71 0	71.0	71 0	71.0	71.0	
FRONT SEAT ROOM						
Head Room, Effective,	38 3	38.3	39.0	37.1	38 3	
Shoulder Room	56.7	56.7	56.7	56.3	56.7	
Hip Room	56.2	56.2	56.2	56.0	56.2	
Maximum Leg Room to Accelerator	41.7	41.7	417	41 7	41 7	
REAR SEAT ROOM						
Head Room, Effective	37.4	37.4	38 9	35.9	37.4	
Shoulder Room	56 7	56 7	56.7	57.3	56 7	
Hip Room	53 7	53 7	48.7	55.1	53 7	
Leg Room, Effective	35 4	35.4	35.3	32.6	35.4	
LUGGAGE COMPARTMENT						
Usable Luggage Capacity (cu. ft.)	16.6	16 8	-	16.1	16.6	
Liftover Height	29 6	29 6	_	29 5	29.6	
CARGO COMPARTMENT						
Cargo Voiume Index	16.8	16.8	79 5	16 1	16.8	
Load Floor Length (Closed Taligate) 2nd Seat Down (Wagon only)			818			
Maximum Rear Opening Width at Floor (Wagon only)	İ		45.0			
Rear Opening Height (Wagon only)			28 B		1	
Minimum Floor Width (Between Whee housings - Wag in only			36 6			
FUEL TANK						
Capacity (gail)(1)	16.0	16.0	16 0	16 0	16 0	
GLASS AREAS (eq. in.)	13300	1220.0	10.10.0	4200 5	4000 (	
Windshield Glass Exposed Surface Area	1330 0	1330 0	1330 0	1390 5	1330 0	
Side Glass Exposed Surface Area	1867 0	1850 0	2658 2	1204 5	1850 0	
Backite Glass Exposed Surface Area	1091 6	1091 6	922 8	1130 8	1091 6	
Total Gisss Exposed Surface Area	4288 6	42716	49110	3725 8	4271 (	
CURB WEIGHT(2)	2680	2733	2835	2/21	27 6	

WHEEL SPECIFICATIONS							
Туре	Stamped Steel, Ventilated Disc with Safety-Type Rims						
Number of Studs	14 x 50						
- Wagon	. 14' x 5 5						
Optional Cast Aluminum or Styled Ste Bolt Circle (All)							

STEERING SPECIFICATIONS					
Gear Type  yera i bleering Ratio (Manual, Overall Steering Ratio (Power)  Turning Diameter (Curb-to-Curb)  Steering Wheel Diameter  Steering Wheel Turns (Lock-to-Lock) (manual)					

FRONT DISC/REAR DRUM	2- And 4- Door Models	Station Wagon
Brake Rotor Diameter (Disc)	998°	9 98 ' 10 06
Front Swept Area*	1766 sq in.	176 6 sq. in
Drum Diameter/Width	9'x175"	10 x175
Rear Swept Area* Total Front and Rear	49 4 40 th	110 0 sq In
Swept Area*	275 5 sq In	286 6 sq in
uning Materia	Morded	Asbestos
Lining Attachment	Rvi	eled

<sup>\*</sup> Swept Area is the effective brake working surface

<sup>(1)14-7</sup> gallons with 2-3L Turbo ,2)Weight of vehicle with oil, water and a full tank of gas—2-3L engine and 4-speed manusi transmission.

# FAIRMONT — GENERAL SPECIFICATIONS

#### **POWER TEAM COMBINATIONS**

#### **49 STATES**

ENGINE	Т	RANSMISSION	IS	RE	AR AXLE RATI	os
	4-Speed Manual	4-Speed Manual Overdrive	SelectShift Automatic	4-Speed Manual	4-Speed Manual Overdrive	SelectShift Automatic
SEDANS 2 3 Liter 4 (STD)	STD	NA	OPT	3.08		3.08*
2 3 Liter 4 Turbo (OPT)	NA.	NA.	OPT	_		3.45
3.3 Liter (200 CID) Six (OPT)	NA	STD	OPT	_	3.08	2 73
4 2 Liter (255 CID) V-8 (OPT)	NA.	NA	OPT	_		2 26
STATION WAGON 23L ter 4 (STD)	STD	NA	NA	3 08	_	_
3.3 Liter (200 CID) Six (OPT)	NA	STD	OPT	_	3 08	273
4 2 Liter (255 CID) V-8 (OPT)	NA.	NA	OPT	_	_	2 26

<sup>13.45</sup> optional ratio available

#### CALIFORNIA

SEDANS 2 3 Liter 4 (STD)	STD	NA.	OPT	3 08		3 08
				300	_	
2 3 Liter 4 Turbo (OPT)	NA NA	NA	OPT	_	_	3.45
3 3 Liter (200 CID) Six (OPT)	NA.	NA	OPT	-	_	2.73
4 2 Liter (255 CID) V-8 (OPT)	NA	NA	OPT		_	2 26
STATION WAGON 23 Liter 4 (STD)	STD	NA	NA	3.08	_	_
33 L ter 200 C D S x (OPT)	NA	NA	OPT		_	2 73
4 2 Liter (255 CID) V-8 (OPT)	NA.	NA	OPT	_	_	2 26

#### HIGH ALTITUDE

SEDANS 4 2 Liter (255 CID) V-8 (OPT)	NA	NA	OPT	_		2 26
STATION WAGON 4.2 Liter (255 CID) V-8 (OPT)	NA	NA	ОРТ	_	_	2 26

MODEL	ALL ENGINES	STANDARD SPARE		
2-Door Sedan	P175/75R 14 BSW	P185/80D 14 BSW		
4-Door Sedan	P175/75R 14 BSW	P185/80D 14 BSW		
2-Door Futura	P175/75R 14 BSW	P185/80D 14 BSW		
4-Door Futura	P175/75R 14 8SW	P185/80D 14 BSW		
4-Door Station Wagon	P175/75R 14 BSW	P185,B0D 14 BSW		

#### OPTIONAL TIRE AVAILABILITY - ALL MODELS

STANDARD	P175/75R 14 WSW	P185/75R 14 BSW	P185/75R 14 WSW	P185/75R 14 RWL
P175/75R 14BSW	×	×	×	×
P185/75R 14 BSW	_	-	х	х

Revised 2/80



# FAIRMONT POLICE PACKAGES

Polica packages and options are offered for law enforcement agencies on the 4-door Fairmont Sedan

Some of the major features included in this package are power steering, power front disc/rear drum brakes and automatic transmission with First Gear Lock-Out. Heavy-duty (semi-metallic) police brake linings are available on police cars to meet the varying requirements of different police fleets for fade resistance and other performance requirements. The heavy-duty linings (standard with Fairmont police packages) meet the LAPD certification requirements by providing superior fade resistance at the expense of increased noise and reduced lining life in most cases

Due to the severity of police use, some occasional squeal and reduced lining life compared to non-commercial use are to be expected from both of the lining materials offered. Consequently, squeal and lining life complaints will not be honored as warranty adjustments on either lining material

# 3.3 LITER (200) POLICE PACKAGE

The 3.3 liter (200 CID) Police Package provides economical yet responsive operation. Major features include a seven-bearing counter-balanced crankshaft, hydraulic valve lifters, and DuraSpark electronic ignition.

#### 4.2 LITER (255) POLICE PACKAGE (1)

The Fairmont 4.2 liter (255 CID) Police Package features freeturning valves, precision shell-molded crankshaft, plated copperlead alloy main bearings and DuraSpark electronic ignition

(1) Availability to be announced includes VV with California emission system

# INCLUDED IN THE 3.3 LITER (200) AND 4.2 LITER (255) POLICE PACKAGES:

- ALTERNATOR: 100-ampere single two-point drive
- BATTERY: 77-ampere-hour, heavy-duty with heat shield
- e BRAKES: Power front disc/rear drum; includes semimetallic linings and 10" rear drums - designed to pass California maximum duty requirements
- CIGAR LIGHTER
- COOLING PACKAGE, MAXIMUM
- HEAVY-DUTY UNITIZED BODY STRUCTURE: Upgraded over base mode!
- MAP LIGHT
- . MIRROR, INSIDE DAY/NIGHT
- . SEATS, HEAVY-DUTY FRONT AND REAR: Vinyl trim
- . POWER DECKLID RELEASE
- SPEEDOMETER: 0-120 MPH callbrated in 2 MPH increments
- . STEERING, POWER: With oil cooler
- SUSPENSION, HEAVY-DUTY: Includes unique front and rear stabilizer bars, heavy-duty: spindles, front and rear springs, bushings, front struts, rear shock absorbers and jounce bumpers; also, higher gauged shock towers designed to pass maximum duty requirements
- e TIRES: P205/70R14 BSW "Police Radials"

- TRANSMISSION, AUTOMATIC: With first gear "lock-out." The first gear "lock-out" feature is designed to eliminate the possibility of manually holding the transmission in first gear, as is possible with the regular automatic transmission. The transmission may be held manually in second gear when placed in the "Drive" position, the transmission has fully automatic, three-speed operation
- . TRANSMISSION OIL COOLER
- WHEELS: Heavy-duty 14 x 5.5-Inch safety rims

#### **Fairmont Police Car Options**

#### REGULAR PRODUCTION OPTIONS

in addition to the many standard features included in the Fairmont Police Package, a number of Regular Production Options (equipment advertised nationally and available from production stock) are available so that individual units might be tailored to meet the requirements of your customer

#### **Appearance Protection Options**

- Bumper Guards, Rear
- Bumper Rub Strips
- Lower Bodyside Protection
- Vinyl Insert Bodyside Moldings
- Rocker Panel Moldings
- Wheel Covers
- Appearance Protection Group (includes door edge guards, front and rear carpet mate and license plate frames (rear only when front bracket not ordered)

#### **Audio Equipment Options**

- · Radio AM
- Radio AM/FM Monaural
- · Radio AM/FM Stereo

#### Comfort/Convenience Options

- SelectAire Air Conditioner with Manual Temperature Controls
- Defroster, Electric Rear Window
- Glass Tinted Complete
- Finger-Tip Speed Control (requires First Gear Lockout delete)
- Tilt Steering Wheel (requires First Gear Lookout Delete)
- . Mirrors Dual Bright
- Outside (Left-hand remote-control)
- Light Group includes luggage compartment light, ashtray and glove box lights, passenger door and rear door courtesy light switches and engine compartment light

#### **Power Assist Options**

- Power Door Locks
- Power Side Windows
- Power Bench Seat (4-Way)

## FAIRMONT POLICE PACKAGES

#### LIMITED PRODUCTION OPTIONS

The following Limited Production Options (equipment generally used only by fleet and commercial accounts) are available to police fleets

#### Appearance/Protection Options

- Heavy-Duty Black Rubber Floor Mats (replaces standard carpeting)
- Front Floor Mat color-keyed. Included in Appearance Protection Group

#### **Comfort/Convenience Options**

- Glass Tinted Windshield
- Luggage Compartment Light
- Mirror Outside Left-Hand Remote-Control

#### Heavy-Duty and Special Equipment Options

- Automatic Transmission with First Gear "Lock-Out" Delete
- · Heater, Engine Block Immersion
- 195/70HR 14 "Police Radial"

#### DEALER-INSTALLED ACCESSORIES

In addition to the factory installed options available to police fleets, your dealership offers a wide range of dealer-installed accessories. Some of the accessories available are

- Compass
- Fire Extinguishers
- Spot Light
- Wheel Splash Guards

FAIRMONT POLICE PACKAGE POWER TEAM DATA					
Engine	3.3L (200 CID) 1 V 6	4.2L (255 CID) 2V* V-8			
Oisplacement (cu in )	200	302			
Asternator	100-Ampere	100-Ampere			
Battery	77-AmpHr.	77-AmpHr			
Transmission	Automatic — First Gear Lock Out	Automatic — First Gear Lock Out			
Axle Ratio	2 73	2 26			

<sup>\*</sup> VV with California emission system

# FAIRMONT TAXICAB PACKAGE

The Fairmont taxicab package is available with the 4-door sedan

Available with either the standard 3.3 liter (200 CiD) or optional 4.2 liter (255 CID) engine, the taxicab package features automatic transmission with First Gear Lock-Out

The First Gear Lock-Out is designed to eliminate the possibility of manually holding the transmission in first gear, as is possible with the conventional SelectShift Transmission. The transmission may be held manually in second gear. When placed in the "Drive" position, the transmission has fully automatic, three-speed operation.

# INCLUDED IN THE FAIRMONT TAXICAB PACKAGE

- e ASHTRAY: Rear seat
- e ALTERNATOR: 100-ampere, single two-point drive
- ASSIST STRAPS: Left- and right-hand
- e BATTERY: 77-ampere-hour heavy-duty with heat shield
- BRAKES: Power front disc/rear drum. Semimetallic.
- COOLING PACKAGE, MAXIMUM
- COURTESY LIGHT SWITCHES: Includes rear door light switches
- . DOOR PULL HANDLES, REAR
- DOOR AJAR WARNING LIGHT
- e HEAVY-DUTY UNITIZED BODY STRUCTURE: Upgraded over base model
- HEAVY-DUTY BLACK RUBBER FLOOR COVERING:
   Replaces standard carpeting, front and rear
- MIRROR, INSIDE DAY/NIGHT
- ROOF LIGHT WIRING: 5-strand with holes in roof panel, roof light switch and "light on" warning light
- . SEATS, HEAVY-DUTY FRONT AND REAR: All-vinyl trim
- STEERING, POWER: With oil cooler
- SUSPENSION, HEAVY-DUTY: Includes unique front stabilizer bar, heavy-duty: spindles, front and rear springs, bushings, front struts, rear shock absorbers and jounce bumpers. Also higher gauged shock tower
- TIRES: 175/75A 14 BSW steel-belted radials
- TRANSMISSION, AUTOMATIC: With First Gear "Lock-Out." Includes auxiliary oil cooler
- WHEELS: Heavy-duty 14x5.5-inch safety rims

#### **Fairmont Taxicab Options**

#### **REGULAR PRODUCTION OPTIONS**

In addition to the many standard features included in the Fairmont Taxicab Package, a number of Regular Production Options (equipment advertised nationally and available from production stock) are available so that individual units might be tailored to meet the requirements of your customer

#### **Appearance Protection Options**

- · Bumper Guards, Rear
- Deluxe Bumper Group
- Lower Bodyside Protection
- Vinyl Insert Bodyside Moldings
- Rocker Panel Moldings
- Appearance Protection Group (includes door edge guards, front and rear carpet mats and license plate frames — rear only when front bracket not ordered)

#### **Audio Equipment Options**

- Radio AM
- Radio AM/FM Monaural
- Radio AM/FM Stereo

#### Comfort/Convenience Options

- SelectAire Air Conditioner with Manual Temperature Controls
- Defroster, Electric Rear Window
- Mirrors Dual Bright Outside Left-Hand Remote-Control
- Light Group includes luggage compartment light, ashtray and glove box lights, passenger door courtesy light switch, map light and engine compartment light

#### **Power Assist Options**

Power Door Locks

#### LIMITED PRODUCTION OPTIONS

The following Limited Production Options (equipment generally used only by fleet and commercial accounts) are available to fleets

#### Comfort/Convenience Options

- Cigar Lighter
- . Glass Tinted Windshield
- Luggage Compartment Light
- Map Light
- Mirror Outside Left-Hand Remote-Control

#### **Heavy-Duty and Special Equipment Options**

- 185/75R14 BSW Steel-Belted Radial Ply Tires
- Heater, Engine Block Immersion

#### **DEALER-INSTALLED ACCESSORIES**

In addition to the factory-installed options available to fleets, your dealership offers a wide range of dealer-installed accessories. Some of the accessories available are

- Compass
- Fire Extinguishers
- Spot Light
- · Wheel Splash Guards

#### FAIRMONT TAXICAB PACKAGE **POWER TEAM DATA** Engine ..... 3.3L (200 CID) 4.2L (255 CID) 2V\* V-8 1V 6 Displacement 200 302 Alternator ...... 100-Ampere 100-Ampere Battery..... 77-Amp.-Hr. 77-Amp -Hr Transmission ..... Automatic ---Automatic — First Gear First Gear Lock Out Look Out Axle Ratio 2.73 2.26

VV with California emission system

#### 1980 CHEVROLET 1980 FORD FAIRMONT CITATION CLUB COUPE

# COMPETITIVE COMPARISON

SPECIFICATIONS	FAIRMONT 2-Door	CITATION 2-Door
Wheelbase	105.5"	104.9"
Overall Length	195.5"	176.7"
Overall Width	71.0"	68.3"
FRONT SEAT ROOM		
Head Room	38.3"	38.2"
Shoulder Room	56.7"	56.2"
Hip Room	56.2"	55.2"
Leg Room	41.7"	420'
REAR SEAT ROOM		
Head Room	37.4"	37.3"
Shoulder Room	56.7"	56.2"
Hip Room	53.7"	53.7"
Leg Room	35.3"	34 6
LUGGAGE	168	125
CAPACITY	Cu. Ft.	Cu. Ft.
FUEL TANK	140	14.0
CAPACITY	Gal.	Gal.
CURB WEIGHT	2660#	2463#

Reasons to buy Fairmont:

 Fairmont — a car engineered for 1980 and beyond offers advanced functional features like modified MacPherson strut front suspension, rack-and-pinion steering, four-bar link rear suspension with coil springs, and a new maintenance-free battery

 For 1980, Fairmont offers a full range of Ford built engines. buyers can't get from other manufacturers in the small car market - 2.3L four, 3.3L six, 4.2L V-8 and 2.3L tur-

bocharged four, offered only by Ford

 Innovative engineering, efficient design, comfort — plus ride and handling qualities -- have established Fairmont as an American success car

 Fairmont offers many ways for the prospect to personalize his car's appearance - including sporty Futura model, luxury Ghia option and distinctive ES option, as well as interior and exterior decor groups, roof treatments and tutone paint/tape treatments

Fairmont Advantages:

 Fairmont's standard steel-beited radial tires, bucket seats and front bumper guards are optional features on Citation Club Coupe

 Fairmont standard features not available on Citation Club Coupe include 4-cylinder overhead cam engine and

wiper-mounted washer jets

 Fairmont offers key options not available on Citation Club Coupe, including four-cylinder turbocharged engine, ES option, cast aluminum wheels, wire wheel covers, flip-up open air roof, power seat and premium sound system

KEY STANDARD FEATURES	FAIRMONT	CITATION
2.3L (140 CID) 4-Cylinder Overhead Cam Designed Engine	STD	NA
2 5L (151 CID 4-Cy inder Transverse Mounted Engine/ Front Whee Drive	NA	STD
P-Metric Steel-Belted Radial Ply Tires	STD	OPT
AM Radio	OPT	STD
Front Bumper Guards	STD	OPT
Bucket Seats	STD	OPT
Wiper-Mounted Washer Jets	STD	NA
Coin Tray Integral with Color-Keyed Shift Boot	STD	NA
Electronic Voltage Regulator	STD	NA
Styled Steel Wheels	OPT	STD
Maintenance-Free Front and Rear Wheel Bearings	NA	STD
Windshield Antenna	NA	STD
Maintenance-Free Battery	STD	STD

SELECTED OPTION COMPARISONS	FAIRMONT	CITATION
2.3L (140 CID) 4-Cylinder Turbocharged Engine	OPT	NA
2 8L (173 CID) V-6 Engine	NA	OPT
F.ip-Up Open Air Roof	OPT	NA
Remote-Control Decklid Release	OPT	NA
Mud and Stone Deflectors	OPT	NA
Protection Group	OPT	NA
Premium Sound System	OPT	NA
Power Bench Seat	OPT	NA
Cast Aluminum Wheels	OPT	NA
Convenience Group	021	NA
Quiet Sound Group	NA	OPT
Sunroof	NA	OPT
ES Option	OPT	NA
AM/FM Stereo Citizens Band Radio With Power Antenna	NA	OPT
Remote-Control Swing-Out Side Windows	NA	OPT

# 1980 FORD FAIRMONT VS. 1930 CHEVROLET CITATION CLUB COUPE

#### 1980 COMPETITIVE PRICE COMPARISON

	2-DOOR MODELS	LS	
		'ATION COUP	
BASE STICKER PRICES	\$44.35 \$49	05	
DIFFERENCE: FAIRMONT \$470 LESS			
FQUIPMENT ADJUSTMENTS			
P-Metric Radial Ply Tires		49	
Exterior Accent Group	9 1 1 9 3 5	45 TD	
. AM Radiu		eli z	
. Wheel Covers . Convenience Group		43	
		10	
COMPARABLY DOUBLED PRICES	\$4(57 CT)	42	
DIFFERLUCE: FAIRMONT \$145 1Ess		42	

- 1) Front Bumper Guards Standard
- (2) Included with Exterior Accent Group

#### 1980 COMPETITIVE FUEL ECONOMY COMPARISON

FAIRMONT				<u> </u>	CITATION	CLUB COUPE		
Engine Size/ Carbunetion/ Carbunetion/	Trans.	Est. MPG	Est.		Engine Size/ Carburetion/ Cylinders	Trans.	EPA Est. MPG Clty	Ilwγ.
STD 2.3L(140) 2V 14	Man. 4	23	38	STI	2.5L(151)2V 14	Man. 4	24	38
OPT 2, N (140 2 II	1.00	22	32	ORT	2.5L(151)2V 14	Auto.	22	35
OPT 2. 3L(149) 7, 11 11	Alth	13	26		to Comparable Engin	n		
Mc comparable fly are				OPT	2.8L(173)2V 36	Man. 4	20	34
No Comparable Essente				OPT	2.8L(173) 2V V6	Auto.	20	30
OPT 3, H (200) IV 16	'lan. 4 OD	21	30		No Comparable Engin	e/Trans.		
OPT 3.3L(200) [V 36	Auto .	20	27		No Corparable Engin	ra la		
OPT 4 21 (255) 2V V8	Alto.	13	26		No Cumparable Engin	e		

LEGEND:

(T) - Turbocharge()

O.D. - Overdrive Transmission


# FAIRMONT

# COMPETITIVE COMPARISON

# 1980 FORD FAIRMONT

VS.

# 1980 CHEVROLET CITATION HATCHBACK



(1) Cargo volume, rear seat down. Chevrolet's stated luggage capacity rear seat up, is 19 8 cu ft. (2-dr.), 19 7 cu ft. (4-dr.)

Reasons to buy Fairmont:

• Fairmont -a car engineered for 1980 and beyond offers advanced functional features like modified MacPherson strut front suspension, rack-and-pinion steering, four-bar link rear suspension with coll springs and a new maintenance-free battery

 For 1980, Fairmont offers a full range of Ford built engines. buyers can't get from other manufacturers in the small car market - 2.3L four, 3.3L six, 42L V-8 and 2.3L turbocharged four, offered only by Ford

 Innovative engineering, efficient design, comfort — plus ride and handling qualities - have established Fairmont

as an American success car

 Farmont offers many ways for the prospect to personalize his car's appearance - including sporty Futura model, luxury Ghia option and distinctive ES option, as well as interior and exterior decor groups, roof treatments and tutone paint/tape treatments

Fairmont Advantages:

 Fairmont standard features, such as steel-belted radial tires, bucket seats and front bumper guards, are optional features on Citation Hatchback

 Fairmont standard features not available on Citation Hatchback, include 4-cylinder overhead cam engine. wiper-mounted washer jets and electronic voltage regulator

 Fairmont offers key options not available on Citation Hatchback, including four-cylinder turbocharged engine, ES option, cast aluminum wheels, flip-up open-air roof, power seat, premium sound system, lower bodyside protection and remote-control decklid release.

KEY STANDARD FEATURES	FAIRMONT	CITATION
2.3L (140 CID) 4-Cylinder Overhead Cam Designed Engine	STD	NA
2.5L (151 CID) 4-Cylinder Transverse Mounted Engine/ Front Wheel Drive	NA	STD
P-Metric Steel-Belted Rad al Ply Tires	STD	OPT
AM Radio	OPT	STD
Front Bumper Guards	STD	OPT
Bucket Seats	STD	OPT
Folding Rear Seat	NA	STD
Wiper-Mounted Washer Jets	STD	NA
Coin Tray integral with Color-Keyed Shift Boot	STD	NA
Electronic Voltage Regulator	STD	NA
Styled Steel Wheels	OPT	STD
Maintenance-Free Front and Rear Wheel Bearings	NA	STD
Windshield Antenna	NA NA	STD

SELECTED OPTION COMPARISONS	FAIRMONT	CITATION
2.3L (140 CID) 4-Cylinder Turbocharged Engine	OPT	NA
Flip-Up Open Air Roof	OPT	NA
Lower Bodyside Protection	OPT	NA
Remote-Control Decklid Release	OPT	NA
Mud and Stone Deflectors	OPT	NA
Protection Group	OPT	NA
Premium Sound System	OPT	NA
Power Bench Seat	OPT	NA
Cast Aluminum Wheels	OPT	NA
Convenience Group	OPT	NA
Sunroof	NA	OPT
ES Option	OPT	NA
Remote-Control Swing-Out Side Windows	NA	OPT
AM/FM Stereo Citizens Band Radio with Power Antenna	NA	OPT

# 1930 FORD FAIRMONT VS.

# 1980 CHEVROLET CITATION HATCHBACK

#### 1980 COMPETITIVE PRICE COMPARISON

	Z-D-X-R-MO	1 F I. 5	4 - DOOR MOD	LL5
	FAIRMONI	COTATI IN HATCHBACE	FAIRMONT	CITATION
BASE STICKER PRICES	24435	\$5032	\$4557	\$5153
DIFFERENCE: FAIRMONT \$597/\$601 LE	ESS			
P-Metric Radial Ply Tires Bumper Guards Exterior Accent Group AM Radio Wheel Covers Convenience Group	5 1 7 C 2	1) 1) 51, 41 511:	23 ' 9' 91 Inc. 2) 5.	49 43 43 10
COMPARABLE For the Control	\$461,	\$5169	548.4	· ()

- (1) Front Sumper Guards Standard
- (2) Included with Exterior Accent Group

#### 1980 COMPETITIVE FUFL ECONOMY COMPARISON

FAIRBONT					L	CITATIAN	EAST HEAD		
	Firmse fire urbarchion (y Dinders	Traus.	EFA Est	Dwg Est		Finithe Gize  arb retius	11	EST. M.T.	Flory ,
বায়	2.3L(140)2V 14	Man. 4	23	150	न्तर	2 14 15125 14	Man 4	24	В
M.L.	2.3L(140)2V 14	Auto.	~2	32	H.	7,71-15-125-14	λ,10,	22	r
PT	2.3L(140) 2V 14 (T)	Mito.	13	21/2		יאו בקבלו סבילה ובבקיתיו או			
	No Comparable Digine				44	2.81 73 27 16	Мэл. 4	20	14
	No Compar if he magaze				OPE	2.8L(173) 2V V6	Auto.	20	(7)
PT.	3.3L(200) 1V 16	Mars 4 m	21	10		No Corter tyle Entire	Train.		
FT	3. 31/(200) IV 16	Artt.	20	1.77		No Comparable Engine		-	1
TT	4.2L(255) 2V V8	74 st	13	26		No Ampara le Enjine		L	

LEGIND.

(T) Purbochanjed

O.D. Overdrive Transmission

# 1980 FORD FAIRMONT

#### 1980 CHEVROLET VS. MALIBU

# COMPETITIVE COMPARISON

KEY	FAIR	MONT	MALIBU		
SPECIFICATIONS	2 Door	4 Door	2 Door	4 Door	
Wheelbase	105.5"	105.5"	108.1"	108.1"	
Overall Length	195.5"	195.5"	192.7"	192.7"	
Overall Width	71.0"	71.0"	71.5"	71.5"	
FRONT SEAT ROOM					
Head Room	38.3"	38 3"	37 9"	38.7"	
Shoulder Room	56.7"	56.7"	56 8"	57.3"	
Hip Room	56.2"	56 2"	51.7"	52.2"	
Leg Room	41.7"	41.7"	42 8"	42 8'	
REAR SEAT ROOM					
Head Room	37.4"	37.4"	37 8"	37 7	
Shoulder Room	56 7"	56 7"	55 6"	57 11	
Hip Room	53 7"	53 7"	54 5"	55 6	
Leg Room	35 3"	35 3"	35 1"	380	
LUGGAGE	16.8	168	166	166	
CAPACITY	Cu. Ft.	Cu. Ft.	Cu. Ft	Cu Ft	
FUEL TANK	140	140	18.1	181	
CAPACITY	Gal.	Gal.	Gal.	Gal	
CURB WEIGHT	2660 ::	2688 -	3100	3105	

Reasons to buy Fairmont:

 Fairmont — a car engineered for 1980 and beyond offers advanced functional features like modified MacPherson strut front suspension, rack-and-pinion steering, four-bar link rear suspension with coil springs, and a new maintenance-free battery

 For 1980, Fairmont offers a full range of Ford built engines. buyers can't get from other manufacturers in the small car market - 2.3L four, 3.3L six, 4.2L V-8 and 2.3L turbocharged four, offered only by Ford

 Innovative engineering, efficient design, comfort — plus ride and handling qualities - have established Fairmont as an American success car

#### Fairmont Advantages:

 Fairmont standard features, such as P-metric steel-belted radial tires, 4-speed manual transmission, front bumper guards and bucket seats are optional features on Chevrolet Malibu

 Fairmont standard features not available on Chevrolet Malibu include 4-cylinder overhead cam engine, rackand-pinion steering, wiper-mounted washer jets and steering column multi-function levers

 Fairmont offers key options not available on Chevrolet Malibu, including a four-cylinder turbocharged engine, 4speed manual overdrive transmission, ES option, flip-up open-air roof, cast aluminum wheels, premium sound system, handling suspension and pivoting front vent windows

 Fairmont has more front seat hip room in 2- and 4-door models, greater front seat head room and rear seat shoulder and leg room in 2-door models than Chevrolet Malibu

KEY STANDARD FEATURES	FAIRMONT	MALIBU
2 3L (140 CID) 4-Cylinder Overhead Cam Engine	STD	NA
3 8L (229 CID) V-6 Engine	NA <sup>(1)</sup>	STD
4-Speed Manual Transmission	STD	OPT 21
Rack-and-Pinion Steering	STD	NA
P-Metric Steel-Belted Radial Ply Tires	STD	OPT
Modified MacPherson Strut Front Suspension	STD	NA
Steering Column-Mounted Multi-Function Levers	STD	NA
Front Bumper Guards	STD	OPT
Front Bucket Seats	STD	OPT
Automatic Seat Back Releases	STD(3)	NA
Wiper Mounted Washer Jets	STD	' NA
Coin Tray Integral with Color-Keyed Shift Boot	STD	NA
Color-Keyed Seat Belts	OPT	STD

SELECTED OPTION COMPARISONS	FAIRMONT	MALIBU
2.3L (140 CID) 4-Cylinder Turbocharged Engine 4-Speed Manual Overdrive Transmission	OPT	NA NA
Flip-Up Open-Air Roof	OPT	NA
Mud and Stone Deflectors	OPT	NA
Pivoting Front Vent Windows	OPT	NA
Cast Aluminum Wheels	OPT	NA
Floor Shift Automatic Transmission	OPT	OPT
Lower Bodyside Protection	OPT	NA
Convenience Group	OPT	NA
Ghia Option	OPT	NA
Premium Sound System	OPT	NA
Handling Suspension	OPT	OPT
Conventional Spare Tire	OPT	NA
ES Option	OPT	NA

3 3L (200 CID) I-6 available

Available only with optional 5 0L (305 CID) V-8 engine 2-Door models only

# 1980 FORD FAIRMONT VS. 1980 CHEVROLET MALIBU

#### 1980 COMPETITIVE PRICE COMPARISON

2-DOOR	MODELS	4-DOOR MODELS	
FAIRMONT	WALIJU	FAIRMONT	MA .IBU
\$4435	\$5133	94512	+5.46
ss			
169	2 7 7	169	211
340	158	3-10	15.8
7.B	511	r 35	515
5)	118	5 )	118
23 '2	4 8	2, 2	4 원
5.4	5 Tb	2.1	51,
v 146	7 , 10 , 7	J .( )	-, 73
	\$4435 \$4435 \$4435 \$40 78 \$10 23 (2 \$1	\$4435 \$5133 SS 169 331 340 358 78 511 53 116 23 (2 48 51) 51	FAIRMONT NALIJO FAIRMONT  \$4435 \$5133 \$4512  SS  109 711 159  340 358 340 78 510 78 50 115 50 23 72 48 22 2 51 510 71

- .1) Fairmont features a standard 2.3L (140) 2V 14 Engine
- 2) Front Bumper Guards Standard

#### 1980 COMPETITIVE FUEL ECONOMY COMPARTSON

FAIRMONT						MATATBU				
	Engine Size/ Carburetion/ Cylinders	т ,	72	Fst.		First te	Trans.	EPA Est MPC City	Hwy. Est.	
STT.	2,3,414 7 74	1. 4	23	18		by Compard le Englise				
ΥŢ	2.3L(140) 2V 14	7 6	<u> 2</u> 2	12		No comparable Engine				
11"	2.3L(140) 2V 14 (T)	1 + 1	17	25		ta Comparable Bigane				
tal.	3. 3L (200) IV 16	'Lm & n	21	7.7		No Comparable Engine/Trans.				
4*1	3.3L(200)1V 16	h⇒n.	20	2*		No Comparable Engine				
	M) Corparable Engine			1 <sub>1</sub> 3 <sup>2</sup>	1.81,(229) 2V V6	Men 3	29	. 26		
	No Comparable Engine				Han	3,8L(229) ZV V6	Ado.	19	26	
TT	4.2L(255) 2V V8	Auto	19	26	€'I'	4.4L(267) ZV V8	Auto.	I V	24	
	No Comparable Engine				ODat	5.0L(305) 4V V8	Man, 4	_W_	N/A	
	No Comparable Engine				OFT	5.0L(305)4V V8	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	17	.4	

#### LEGIEND:


- (T) Turbocharged
- O.D Overdrive Transmission

## COMPARISON

### 1980 FORD FAIRMONT

VS.

### 1980 BUICK SKYLARK CUSTOM SEDAN



### Reasons to buy Fairmont:

Fairmont —a car engineered for 1980 and beyond —
offers advanced functional features like modified
MacPherson strut front suspension, rack-and-pinion
steering, four-bar link rear suspension with coil springs
and a new maintenance-free battery

 For 1980, Fairmont offers a full range of Ford built engines buyers can't get from other manufacturers in the small car market — 2.3L four, 3.3L six, 4.2L V-8 and 2.3L turbocharged four, offered only by Ford

 Innovative engineering, efficient design, comfort — plus ride and handling qualities — have established Fairmont as an American success car

Fairmont offers many ways for the prospect to personalize
his car's appearance — including sporty Futura model,
luxury Ghia option and distinctive ES option, as well as interior and exterior decor groups, roof treatments and tutone paint/tape treatments

### Fairmont Advantages:

 Fairmont standard features, such as steel-belted radial tires, bucket seats and front bumper guards, are optional features on Buick Skylark

 Fairmont standard features not available on Buick Skylark, include 2.3L (140 CID) four-cylinder overhead camengine and electronic voltage regulator

 Fairmont offers key options not available on Buick Skylark, including four-cylinder turbocharged engine, floor shift automatic transmission, ES option, Ghia option, cast aluminum wheels, pivoting front vent windows and premium sound system

KEY STANDARD FEATURES	FAIRMONT	SKYLARK
2 3L (140 CiD) 4-Cylinder Overhead Cam Designed Engine 2 5L (151 CiD) 4-Cylinder Transverse Mounted Engine/	STD	NA
P-Metric Steel-Belted Radial Ply Tires	STD	STD
AM Radio	OPT	STD
Front Bumper Guards Bucket Seats	STD	OPT
Coin Tray Integral with Color-Keyed Shift Boot	STD	NA
Windshield Antenna	NA	STD
Deluxe Steering Wheel	OPT	STD
Rocker Panel Moldings	OPT	STD
Electronic Voltage Regulator  Maintenance-Free Front and Rear	STD	NA
Wheel Bearings	NA	STD

SELECTED OPTION COMPARISONS	FAIRMONT	SKYLARK
2.3L (140 CID) 4-Cylinder		
Turbocharged Engine	OPT	NA
2.8L (173 CID) V-6 Engine	NA	OPT
Mud and Stone Deflectors	OPT	NA
Floor Shift Automatic Transmission	OPT	NA
Premium Sound System	OPT	NA
Pivoting Front Vent Windows	OPT	NA
Cast Aluminum Wheels	OPT	NA.
Electronic Digital Clock	NA	OPT
Trip Odometer	OPT(1)	OPT
Halogen Headlamps	NA	OPT
Ghia Option	OPT	NA
ES Option	OPT	NA
AM/FM Stereo Citizens Band Radio with Power Antenna	NA	OPT
Padded Landau Vinyl Roof	NA	OPT(2)

(1) Part of Instrumentation Cluster (2) Available on Coupes Only

## 1930 FORD FAIRMONT VS.

### 1930 BUICK SKYLARK CUSTOM SEDAN

#### 1980 COMPETITIVE PRICE COMPARISON

	2-DOOR M	ODFLS	4-DOOR MO	DELS
	FAIRMONT	SKYLARK	PATRMONT	SPYLARI CTISTION
BASE STICKER PRICES	\$4435	5-240	0.4552	,5 106
DIFFERENCE: FAIRMONT \$725/\$754 LE	SS			
EQUIPMENT ADJUSTMENTS				
. P-Metric Radial Ply Tires	100	4 9 1 2 4 0	1 /	49
. Bumper Guards	10 1	1.2	23 1	49 3. 40
. Bumper Rub Strips	4	4.0	40	4.0
- Exterior Accent Group	,	5 144	3.7	5 FD
. AM Radio		11.5	2.4	- [1
. Wheel Covers	- 200 5	4.5	Incl 23	4 1
. Wheellip Moldings	1.01 .		Incl 2	
. Convenience Group		214		. 16
. Deluxe Seat Belts	inc. 1		Inc. ,	2 1
. Bright Window Frame Moldings	- 4	517	. 4	\$10
COMPARABLY EQUIPPED PRICES	\$4761	V5417	\$4878	والمرادي
DIFFERENCE: FAIRMONT \$608/\$617 LE	44		ł	

- (1) Front Bumper Guards Standard
- (2) Included with Exterior Accent Group
- (3) Included with Convenience Group

### 1980 COMPETITIVE FUEL ECONOMY COMPARISON

	FAIR	MONT				SKYLAI	K CUSTON		
	Figure 5, ze Cartagestions Cartages	TY 1.14.	EST MP.	Hwy Fact		Engine Size/ Carburetion/ Cylinders	Traje	EPA Fat. Mp]	hw.
SID	2.31 (140 2V 14	Man 4	23	7q	171	2.5L(151) 2V 14	Man. 4	24	4+
炉平	2 31/14012V 14	Auto.	22	32	用町	2.5L(151) 2V 14	λto	777	4
OFT	2.3f (140) 2V 14 (T)	Auto.	19	26		No Comparable Engane		964	
	No Comparable Engine				ъ́ °Т	2.8L(173) 2V V6	Mal. 4	20	
	No Comparable Engine.				Hall	2.8L(173) 2V V6	1 +:	20	
PT.	3.3L,200) IV I6	Man. 4 Tr	21	30		No emparable Engine	Trus.	- 20	
117	3, 3, (200) 16	Auto.	20	27		We Comparable Fig. ic			
)PT	4.2L 255) 2V VR	Auto.	13	26		No Comparable Engine			

धाःसक्ता ∙

(T) · Turbocharged

### 1980 FORD

### 1980 OLDSMOBILE OMEGA

## COMPETITIVE

KEY	FAIR	MONT	ОМ	EGA
SPECIFICATIONS	2 Door	4 Door	2 Door	4 Door
Whee base	1155	1055	1050	1050
Overa Length	1955	1955	18111	181 11
Overa Width	710	71 0	698	69 8"
FRONT SEAT ROOM				
Head Room	383'	38 3 ′	38 2'	38 2"
Shou der Room	56 7	56 7	56 2 '	56 1"
Hip Room	56 2"	56 2	54 6"	546
Leg Room	417'	417'	42 0"	42 0'
REAR SEAT ROOM				
Head Room	37.4"	37.4"	37.7"	37.7"
Shoulder Room	56 7	56 7	55 7	56.1
H p Room	537	53 7	535	53 9
Leg Room	35 3	35 3	346	35 5
LUGGAGE	168	168	142	142
CAPACITY	Cu Ft	Cu Ft	Cu Ft	Cu Ft
FUEL TANK	140	140	140	140
CAPAC TY	Gal	Gal	Gal	Ga
CURB WEIGHT	2660#	2688#	2470 ::	2497 -

### Reasons to buy Fairmont:

Fairmont — a car engineered for 1980 and beyond —
offers advanced functional features like modified
MacPherson strut front suspension, rack-and-p nion
steering, four-bar link rear suspension with coil springs
and a new maintenance-free battery

For 1980 Fairmont offers a full range of Ford built engines buyers can't get from other manufacturers in the small car market — 2 3L four, 3.3L s.x, 4.2L V-8 and 2 3L torbocharged four, offered only by Ford

 Innovative engineering efficient design, comfort—plus ride and handling qualities—have established Fairmont as an American success car

Fairmont offers many ways for the prospect to personal ze
h s car s appearance — including sporty Futura mode
luxury Ghia option and distinctive ES option, as well as interior and exterior decor groups, roof treatments and tutone paint/tape treatments

### Fairmont Advantages:

 Fairmont standard features such as steel-belted radia ply tires, bucket seats and front bumper guards, are optional features on O dsmobile Omega

 Fairmont standard features not available on Oldsmobile Omega include 4-cylinder overhead cam engine and electronic voltage regulator

 Fairmont offers key options not available on Oldsmobile Omega, including four-cylinder turbocharged engine, ES option, flip-up open air roof, cast aluminum wheels, pivoting front vent windows and premium sound system

KEY STANDARD FEATURES	FAIRMONT	OMEGA
2.3L (140 CID) 4-Cylinder Overhead Cam Designed Engine	STD	NA
2.5L (151 CID) 4-Cylinder Transverse Mounted Engine/ Front Wheel Drive	NA	STD
P Metric Steel-Belted Radial Ply Tires AM Radio	STD	OPT
Front Bumper Guards	STD	OPT
Bucket Seats	STD	OPT
Coin Tray Integral with Cofor-Keyed Shift Boot	STD	OPT
Rocker Panel Moldings	OPT	STD
Wheelip Voldings	OPT	STD
Electronic Voltage Regulator	STD	NA
Maintenance-Free Front and Rear	NÅ	STD
Maintenanne-Free Battery	STD	STD

SELECTED OPTION COMPARISONS	FAIRMONT	OMEGA
2.3L (140 CID) 4-Cylinder		
Turbocharged Engine	OPT	NA
2.8L (173 CID) V-6 Engine	NA	OPT
Mud and Stone Deflectors	OPT	NA
Pivoting Front Vent Windows	OPT	NA
Cast Arum num Wheels	OPT	NA
Electric Digital Clock	NA	OPT
Sunroof	NA	OPT
Fip-Up Open Air Roof	OPT	NA
Lower Bodyside Protection	OPT	NA
Floor Shift Automatic Transmission	OPT	NA
Premium Sound System	OPT	NA
Conventional Spare Tire	OPT	NA
ES Option	OPT	NA
Passenger Reclining Seat Back	NA	OPT
Halogen Headlamps	NA	OPT
AM 'FM Stereo Citizens Band Rad o with Power Antenna	NA	CPT

# 1930 FORD FAIRMONT VS. 1930 OLDSMOBILE OMEGA

### 1980 COMPETITIVE PRICE COMPARISON

	2-poor M	DDELS	4-000R MO	DEL5
	FAIRMONT	OMEGA	PAIRMONT	OMEGA
BASE STICKER PRICES	\$4435	\$5.07	\$4552	\$5266
DIFFERENCE: FAIRMONT \$665/\$714 1	£SS			
EQUIPMENT AUJUSTNENTS				
. P-Metric Radial Ply Tires . Bumper Guards	51b 23 1	49 45 40	23 1	49
. Bumper Rub Strips	23 1 40 ) '	4 ω	43	45
. Exterior Accent Group		571,		ST.
. Wheel Covers	Incl 2	5*-	Incl 2	42 STD
. Convenience Group . Deluxe Seat Belts	Incl 3	4.	Incl 3	21
. AM fladio	9 3	بادر	9 3	ษาก
bright Window Frames	_4	510	24	SID
COMPARABLY EQUIPPED PRICES	+4 6l	\$5_97	54н н	\$5461

- 1) Front Bumper Guard Standard
- 2) Included with Exterior Accent Group
- 3) Included with Convenience Group

### 1980 COMPETITIVE FUFL ECONOMY COMPARISON

FAIRMONT				1_	-1	FA			
	Enque Size/ Carburet.com/ Cylinders	ןר ז <sup>יד</sup>		Diry .		Engine Size/ arteretion Cylinders	l'i ms	EPA Est. MFG	Hwy.
747	2.3L(140)2V 14	15 × 4	23	313	दम	2.5L(151)2V 14	Man 4	24	30
J.L	2.3L(140) 2V 11	7-4-,	22	1.2	TT	2.5L(151) 2V 14	λ	22	35
111	2.3L(140) 2V 14 (T)	\$ 00.	19	.0		No Comparable Engine			1
	'k Frank in In. 4				1 v.].	2.8L(173)2V V6	Ma 4	20	11
	No Comparable Engine				OPT	2.8L(173) 2V V6	Aito	20	30)
FT	3.3L(200) IV I6	Man. 4 Ob	21	30		No Comparable Engine,	Trans.		
ial.	3.3L(200) IV 16	Auto.	20	27		No Comparable Engine			
PT	4.2L(255) 2V V8	Auto.	13	26		No Comparable Engine			

### LEGEND:

(T) - Turbocharged

## COMPETITIVE

### 1980 FORD FAIRMONT

VS.

### 1980 PLYMOUTH VOLARE

VEV	FAIRI	THOM	VOL	ARE
SPECIFICATIONS	2 Door	4 Door	2 Door	4 Door
Wheelbase	105.5"	105.5"	108.7"	112.7"
Overall Length	195.5"	195 5"	200.3"	204.3"
Overall Width	71 0"	71 0"	72 4"	72 4"
FRONT SEAT ROOM				
Head Room	38 3"	38 3"	37 6"	39 3'
Shoulder Room	56 7"	56 7"	55 6"	55 7
Hip Room	56 2"	56.2"	57.4"	57.2
Leg Room	41.7"	41.7"	42 7"	427
REAR SEAT ROOM				
Head Room	37 4"	37 4"	36 2"	37.7
Shoulder Room	56 7"	56 7"	54 1"	55 7
Hip Room	53 7"	537"	51.8"	57 0
Leg Room	35 3"	35.3"	32 6"	37 8
LUGGAGE *	168	168	164	164
CAPACITY	Cu. Ft.	Cu. Ft.	Cu. Ft.	Cu. Ft
FUEL TANK CAPACITY	140	140	18 0 Gal	180
CAFACILI	Gal.	Gal	Gal	Gal
CURB WEIGHT	2660#	2688 :	3190#	3250

### Reasons to buy Fairmont:

Fairmont —a car engineered for 1980 and beyond —
offers advanced functional features like modified
MacPherson strut front suspension, rack-and-pinion
steering, four-bar link rear suspension with coil springs,
and a new maintenance-free battery

 For 1980, Fairmont offers a full range of Ford built engines buyers can't get from other manufacturers in the small car market — 2.3L four, 3.3L six, 4.2L V-8 and 2.3L tur-

bocharged four, offered only by Ford

 Innovative engineering, efficient design, comfort—plus ride and handling qualities—have established Fairmont as an American success car

### Fairmont Advantages:

 Fairmont standard features, such as steel-belted radial ply tires, bucket seats, front bumper guards, inside hood release and maintenance-free battery are optional features on Plymouth Volare

 Fairmont standard features not available on Plymouth Volare include four-speed manual transmission, rack-andpinion steering, modified MacPherson strut front suspen-

sion and wiper-mounted washer jets

 Fairmont offers key options not available on Plymouth Volare, including a 4-cylinder turbocharged engine, flipup open air roof, floor shift automatic transmission, ES option, light group, protection group, convenience group and accent stripes

 Fairmont 2- and 4-door sedans offer greater front and rear seat shoulder room than Plymouth Volare. Two-door models also feature greater front and rear seat head room, rear seat hip room and leg room and greater luggage capacity than Volare

KEY STANDARD FEATURES	FA RMONT	VOLARE
2 3L 1140 C D1 4-Cylinder		
Engine	STD	NA <sup>(1)</sup>
4 Speed Manual Transmission	STD	NA
Rack-and-Pinion Steering	STD	NA
P-Metric Steel-Belted Radial Ply Tires	STD	OPT
Modified MacPherson Strut Front Suspension	STD	NA
Bucket Seats	STD	OPT
Wiper-Mounted Washer Jets	STD	NA
Front Bumper Guards	STD	OPT
Inside Hood Release	STD	OPT
Maintenance-Free Battery	STD	OPT
Coin Tray Integral with Color-Keyed Shift Boot	STD	NA
Diagnostic Connector	NA	STD
Maintenance-Free Battery	STD	OPT(2)

COMPARISONS	FAIRMONT	VOLAR
2.3L (140 CID) 4-Cylinder		
Turbocharged Engine	OPT	NA
Instrumentation Cluster	OPT	NA
Flip-Up Open Air Roof	OPT	NA
Mud and Stone Deflectors	OPT	NA
Light Group	OPT	NA
Floor Shift Automatic Transmission	OPT	NA
Protection Group	OPT	NAG
Premium Sound System	OPT	NA
Optional Axle Ratio	OPT	NA
Accent Stripe	OPT	NA
Convenience Group	OPT	NA
Electronic Digital Clock	NA	OPT
T-Bar Roof	NA	OPT
ES Option	OPT	NA

<sup>(1)</sup> Volare offers a 3.7L (225 CID) 6-Cylinder Engine Standard
(2) Maintenance-free battery included with optional 5.9L (360 CID) V-8
Engine only

<sup>(3)</sup> Bumper Rub Strips, Bumper Guards and Protective Moldings are available as separate options

## 1930 FOID FAIRMONT VS.

### 1930 PLYMOUTH VOLARE

#### 1980 COMPETITIVE PRICE COMPARISON

2-poor Mo	DELS	4-DOOR M	ODELS
FAIRMORT	V. LARE	FAIRMONT	v 1-54-E
\$4435	\$4710	\$4554	, 4847
, t +	v. ()	169	:1)
w. ,	15 1	. (1)	15.
513	1 ± 3	5	. 33
2,	21 4		<i>با</i> 10
		511/	1.4
4,	13	- 211	13
v4 ,0	\$ -040	\$488.	\$5,,7
	\$4435 \$4435	\$4435 \$4730 	FAIRMORT VALARE PAIRMONT  \$4435 \$4730 \$455  153  50 153  510 510 33  510 33

- (1) Fairmont Features a standard 2.3L (140) 2V 14 Engine
- (2) Front Bumper Guards Standard

### 1980 COMPETITIVE FUEL ECONOMY COMPARISON

	FIXD	MONITO	-		VIAPE					
FAIRMONT					_	V	1-27.4		· ·	
Enquie Size/ Cylinders Cylinders		C, the return/ line. :St. Fet,		Trus. 25t. Fet. Cathor Allanders		Cartury of Lagr	Τ 1,	FFA.	Hws.	
\$TD	2.3L(140) 2V 14	Man. 4	23	18		the 'mparable Engine				
FT	2. H (14º) 25   T4	Alto.	22	12		No amparatio Engine				
OPT	2 31 (140) 2V 14 (F)	A ito.	10	26		to imparable braine				
	No Comparable Trans.				T43	3,71 ,5)15 16	Man. 3	1/	23	
HPE:	3, 31 (200) [17 [6	Man. 4 OD I	21	10	4.T	3.7L(225)1V 16	Man. 4 on	17	27	
7790	3, अ (200) 1, 16	Ar.	_2)	27	TT.	1.7L(225) 1V 16	Auto.	1/	15	
3F*I*	4 7/ (20%) 2" R	Aire.	13	26	: ४ग	5,2L(3,8,2 16	Aut ).	15	. 1	

INTERD:

(1) - Turbocharged

## 1980 FORD 1980 CHEVROLET MONTE CARLO

## COMPARISON

KEY SPECIFICATIONS	FAIRMONT FUTURA 2-Door	MONTE CARLO 2-Door
Whee base	105 5'	108 1"
Cyera Length	1974'	200 4
Overall Width	71.0"	71 5"
FRONT SEAT ROOM		
Head Room	37 1"	37 6"
Shoulder Room	56 3"	56 3
H-p Room	560'	51 7
Leg Room	41.7"	42 8'
REAR SEAT ROOM		
Head Room	35 9"	37.8"
Shoulder Room	57 3"	55 9
Hip Room	55 1 '	54 9
Leg Room	32 6'	36 3
LUGGAGE	16.1	161
CAPACITY	Cu. Ft.	Cu. Ft.
FUEL TANK	140	181
CAPACITY	Gal	Gal
CURB WEIGHT	2701#	3235

### Reasons to buy Fairmont Futura:

 Fairmont Futura is a Ford built compact-sized personal car not offered in competitive line-ups

 The distinctive exterior styling features of the sporty Futura coupe include roof wrapover design, deluxe whee covers, new dual rectangular halogen headlamps, bright window frames, door belt mo dings and whee lip moidings lower viny /bright bodyside moldings and paint stripes accenting bodyside and roof wrapover

 Inside, the Futura has a high level of standard features in cluding de uxe sound package, inside hood release, uxury door trim panels with high-gloss woodtone applique and carpeting on the lower panel, pleated Corinth an viny seat trim, color-keyed deluxe belts and high-gloss woodtone applique around instrument panel cluster and righthand panel

### Fairmont Futura Advantages:

 Fairmont Futura standard features, such as halogen headlamps, bucket seats and accent paint stripes, are optional features on Chevro et Monte Carlo

 Fairmont Futura standard features not available on Chevrolet Monte Carlo include 4-cylinder overhead camengine. 4 speed manual transmission, rack-and-pinion steering, modified MacPherson strut front suspension, wiper-mounted washer jets, and steering column-mounted multi-function levers

 Fairmont Futura offers key options not available on Chevrolet Monte Carlo including 4-cyl nder turbocharged engine 4-speed manual overdrive transmission, filp-up open air roof, cast aluminum wheels, convenience group, Ghia option, turbine wheel covers and premium sound system

KEY STANDARD FEATURES	FUTURA	MONTE
2.3L (140 CID) 4-Cylinder	670	
Overhead Cam Engine	STD	NA
3.8L (229 CID) V-6 Engine	NA <sup>(1)</sup>	STD
4-Speed Manual Transmission	STD	NA
Automatic Transmission	OPT	STD
Rack-and-Pinion Steering	STD	NA
Power Steering	OPT	STD
Power Brakes	OPT	STD
Modified MacPherson Strut Front Suspension	STD	NA
Halogen Headlamps	STD	OPT
Bucket Seats	STD	OPT
Electric Clock	OPT	STD
Accent Paint Stripes	STD	OPT
Wiper-Mounted Washer Jets	STD	NA
Coin Tray Integral w/Color-Keyed Shift Boot	STD	NA
Steering Column-Mounted  Multi-Function Levers	STD	NA

SELECTED OPTION COMPARISONS	FUTURA	MONTE
2.3L (140 CID) 4-Cylinder	007	NI4
Turbocharged Engine	OPT	NA
3.8L (231 CID) V-6 Turbocharged Engine	NA	OPT
4-Speed Manual Overdrive		
Transmission	OPT	NA
Mud and Stone Deflectors	OPT	NΑ
Cast Aluminum Wheels	OPT	NA
Power Sky Roof	NA	OPT
Flip-Up Open Air Roof	OPT	NA
Limited Stip Differenital	NA	OPT
Optional Axle Ratio	OPT	OPT
Lower Bodyside Protection	OPT	NA
Convenience Group	OPT	NA
Floor Shift Automatic		
Transmiss on	OPT	OPT
Ghia Option	OPT	NA
Premium Sound System	OPT	NA
Turbine Wheel Covers	OPT	NA

<sup>(1)</sup> Future offers a 3.3t. (200 CID) 1-6 engine as an option

# 1980 FAIRMONT FUTURA VS. 1980 CHEVROLET MONTE CARLO

### 1986 COMPETITIVE PRICE COMPARISON

	2 DOOR M D	7.1.S
	FAIRMONT FUTURA	MONTE CARLO
BASE STICKER PRICES	\$4837	\$6163
DIFFERENCE: FAIRMONT FUTURA #1326 LESS		
FQUIPMENT ADJUSTMENTS  . 3.3L(200) IV 16/3.8L(229) 2V V6 Engine (1)  . Automatic Transmission  . Power Steering  . Power Brakes  . Electric Clock  . Convenience Group	16 5 16 5 7 8 2 5 2 9 4 0	510 510 510 510 810
Bumper Rub Strips Rear Bumper Guards Bodyside Moldings Visor Vanity Mirrors Accent Stripes	40 23 STD Eacl (2) STD	5.0 570 570 57 6 42
COMPARABLY EQUIPPED PRICES	\$5.706	\$6268

(1) Fairmont Futura Features a Standard 2.3L(140)2V I4 Engine

(2) included in Convenience Group

### 1980 COMPETITIVE FUEL ECONOMY COMPARISION

	FAIRMON	r FUTURA			MONTE CARLO					
	Engine Size/ Carburetion/	Trans.	EPA Est. WPG (City)	Hwy. Est		Engine Size, Carburetion/ Cylinders	Trans	ESt.	Hwy Est.	
	7, N (14) 2, 14	P\$3 + 4	23	38		to Comparable Laure	Trans.			
47	2.3L(140)2V 14	A +	22	12		to Communitie Familie				
N.	1 3 (14) 21 (4 ( )	A A	19	26		No Omparable English				
PT	1 37 W I T	Man. 1 Oc	1	ЗÜ		Vo Comparable Engine/	Trans.			
420	3 31 3 547 15	into.	20	27		an camprable frome				
	un Computable Engre				מד	3.8L(229) 2V V6	Auto.	19	26	
	No Comparthus Esquis				Ψ.	J.8L(229) 4V V6 (T)	Auto.	_13	25	
nr	4.2L(255) 2V V8	Auto.	13	26	PT	4.4L(267) 2V V8	Auto.	17	24	
	to anterapre Didini				Na.	5.0L(305) 4V V8	Auto.	17	24	

LEGEND:

{T} - Turbocharged

## COMPETITIVE

## 1980 FORD vs. 1980 CHEVROLET FAIRMONT WAGON CITATION HATCHBACK

KEY SPECIFICATIONS	FAIRMONT	CITATION 4-DOOR HATCHBACK SEDAN
Wheelbase	105.5"	104.9"
Overall Length	195.5"	176.7"
Overall Width	71.0"	68.3
FRONT SEAT ROOM		-
Head Room	39.0"	38.2"
Shoulder Room	56.7"	56.2
Hip Room	56.0"	55.2'
Leg Room	41,7"	42 0'
REAR SEAT ROOM		+
Head Room	38.9"	37.5
Shoulder Room	56 7"	563
Hip Room	48 7"	53 9"
Leg Room	35 3"	35 5 1
CARGO	795	41.2
VOLUME INDEX	Cu, Ft,	Cu. Ft
FUEL TANK	140	140
CAPACITY	Gal.	Gal.
CURB WEIGHT	2826#	2505#

Reasons to buy Fairmont Station Wagon:

 To exterior styling features standard on Fairmont sedans, the wagon model adds bright quarter window moldings and bright liftgate molding

 Inside, the additional features offered on station wagon models include fold-down rear seat with carpeting on seat back, cargo area light, carpeted cargo floor and "liftgate open" warning light

 Fairmont is a hard-working wagon — since its inception the top seller in the compact market — a model not availa-

ble from many compact competitors

 Space-efficient and fuel-efficient, Fairmont wagon has four-door convenience and five-passenger capacity. It features a practical easy-open liftgate with gas-filled assist cylinders — and provides cargo area loading and unloading without leaning over a tailgate

Fairmont Wagon Advantages:

 Fairmont wagon standard features not available on Chevrolet Citation Hatchback Include 4-cylinder overhead cam engine, P-metric steel-belted radial ply tires, wiper-mounted washer jets, cargo area light and easyopen liftgate with gas-filled assist cylinders

 Fairmont wagon standard features, such as front bumper guards and bucket seats, are optional on Chevrolet Cita-

tion Hatchback

 Fairmont wagon offers key options not available on Chevrolet Citation Hatchback, including 4-cylinder turbocharged engine, rear window wiper/washer, Squire option, convenience group, protection group, power seat, pivoting front vent windows, cast aluminum wheels, floor shift automatic transmission and premium sound system

	KEY STANDARD FEATURES	FAIRMONT	CITATION 4-DOOR HATCHBACK SEDAN
	2.3L (140 CID) Overhead Cam Design Engine	STD	NA
	2.5L (151 CID) 4-Cylinder Transverse Mounted Engine/ Front-Whee Drive	NA	STD
	P-Metric Steei-Belted Radial Ply Tires	STD	NA
	AM Radio	OPT	STD
	Front Bumper Guards	STD	OPT
	Bucket Seats	STD	OPT
	Wiper-Mounted Washer Jets	STD	NA
	Coin Tray Integral with Color-Keyed Shift Boot	STD	NA
	Styled Steel Wheeks	OPT	STD
	Maintenance Free Front and Rear Wheel Bearings	NA	STD
,	Windshield Antenna	NA	STD
	Cargo Area Light	STD	NA
	Ourgo Area Eight	0,0	

SELECTED OPTION COMPARISONS	FAIRMONT WAGON	CITATION 4 DOOR HATCHBACK SEDAN
2.3L (140 CID) 4-Cylinder		
Turbocharged Engine	OPT	NA
2.8L (173 CID) V-6 Engine	NA NA	OPT
Floor Shift Automatic		
Transm ssion	OPT	NA
Rear Window Wiper/Washer	OPT	NA
Squire Option	OPT	NA
Convenience Group	OPT	NA
Mud and Stone Deflectors	OPT	NA
Protection Group	OPT	NA
Premium Sound System	OPT	NA
Power Seats	OPT	NA
Pivoting Front Vent Windows	OPT	NA
Cast Aluminum Wheels	OPT	NA
Sunroof	NA	OPT
Optional Axle Ratio	OPT	NA
Conventional Spare Tire	OPT	NA

# 1930 FORD FAIRMONT WAGON VS. 1930 CHEVROLET CITATION HATCHBACK

### 1980 COMPETITIVE PRICE COMPARISON

	STATION WADUN MODEL	4-DOOR HATCHBAC
	FAIRMONT	CITATION
BASE STICKER PRICE	91,721	er, 41
DIFFERENCE: FAIRMONT STATION WAGON \$432 LESS		
EQUIPMENT ADJUSTMENTS:		
Steel-Belted Radial Ply Tires Bumper Guards	4.5	49
Exterior Accent Group	2 1 9 5	4.5 5.1
AM Radio . Wheel Covers	91	
Covenience Group	Incl(1) 51	STD

<sup>(1)</sup> Included with Exterior Accent Group

### 1980 COMPETITIVE FUEL ECONOMY COMPARISON

	FAIRMON	T WAGON				CITATI	ON HATCHBAC	К																									
	Engine Size/ Carburetion/ Trans. Est. Est. Cylinders MPG (Clty)			Engine Size/ Carburetion/ Cylinders	Trans.	EPA Est. MPG (City,	Hwy. Est.																										
TD	2 U (140) 2V 14	Man. 4	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	18	TO	2.5L(151) 2" 14	Man. 4	24	38
	Wo impatible Trais.				4T	2 of 11112V 14	Atto.	2	15																								
	Ma comparable Engine				بلمة	2.8E(1 ' 9.2V V6	Man. 4	29	34																								
	to Comparable Engine				· 4.44.	2.85, 173) 27, 1/6	Auto.	203	30																								
OFT	3. 3L 200) IV T6	Han. 4 00	21	10		No Comparable Digit	ne/Thalus.																										
ार	3. 3L(200) Iv_16	Auto.	20	27		No Comparable Engi	ne																										
opr	4.2L(255) 2V VB	Auto.	NA .	NA.		No Comparable Engir	ne	Ī																									

LEUEND:

### 1980 FORD 1980 CHEVROLET FAIRMONT WAGON MALIBU WAGON

### COMPETITIVE COMPARISON

KEY SPECIFICATIONS	FAIRMONT	MALIBJ WAGON
Wheelbase	105 5	108 1
Overall Length	195.5"	193.4"
Overall Width	71.0"	71.2"
FRONT SEAT ROOM		
Head Room	39.0"	38.8"
Shoulder Room	56.7"	57.3"
Hip Room	56.0"	52.2"
Leg Room	41.7"	42.8"
REAR SEAT ROOM		
Head Room	38.9"	38.8"
Shoulder Room	56.7"	57.1"
Hip Room	48.7"	55 6
Leg Room	35.3"	35.9"
CARGO	79 5	724
VOLUME INDEX	Cu. Ft.	Cu. Ft.
FUEL TANK	14.0	182
CAPACITY	Gal.	Gal.
CURB WEIGHT	2826#	3259#

Reasons to buy Fairmont Station Wagon	Reasons	to buy F	airmont	Station	Wagon
---------------------------------------	---------	----------	---------	---------	-------

 To exterior styling features standard on Fairmont sedans. the wagon model adds bright quarter window moldings and bright liftgate molding

 Inside, the additional features offered on station wagon models include fold-down rear seat with carpeting on seat back, cargo area light, carpeted cargo floor and "liftgate open" warning light

 Fairmont is a hard-working wagon — since its inception. the top seller in the compact market — a model not available from many compact competitors

 Space-efficient and fuel-efficient, Fairmont wagon has four-door convenience and five-passenger capacity. It features a practical easy-open liftgate with gas-filled assist cylinders - and provides cargo area loading and unloading without leaning over a tailgate

Fairmont Wagon Advantages:

SELECTED OPTION

COMPARISONS

 Fairmont wagon standard features not available on Chevrolet Malibu wagon Include 4-cylinder overhead camengine, 4-speed manual transmission, rack-and-pinion steering, modified MacPherson strut front suspension. steering column-mounted multi-function levers, "liftgate open" warning light, and wiper-mounted washer jets

 Fairmont wagon standard features, such as steel-belted radial ply tires, front bumper guards and cargo area light,

are optional on Chevrolet Malibu wagon

 Fairmont wagon offers key options not available on Chevrolet Malibu wagon, including 4-cylinder turbocharged engine, 4-speed manual overdrive transmission, pivoting front vent windows, rear window wiper/washer, convenience group, floor shift, automatic transmission, liftgate assist handle, and premium sound system

MALIBU

WAGON

FAIRMONT

WAGON

KEY STANDARD FEATURES	FAIRMONT WAGON	MALIBU WAGON
2 3L (140 CID) 4-Cylinder		
Overhead Cam Engine	STD	NA
3 8L (229 C/D) V-6 Engine	NA 1)	STD
4-Speed Manual Transmission	STD	NA
Modified MacPherson Strut Front Suspension	STD	NA
Rack-and-Pinion Steering	STD	NA
Steel-Belted Radial Ply Tires	STD	OPT
Steering Column-Mounted Multi-Function Levers	STD	NA
Front Bumper Guards	STD	OPT
Cargo Area Light	STD	OPT
"Liftgate Open" Warning Light	STD	NA
Electronic Voltage Regulator	STD	NA
Wiper-Mounted Washer Jets	STD	NA
Easy Open Liftgate with Gas- Filled Assist Cylinders	STD	NA
Co or-Keyed Seat Belts	OPT	STD

	2.3L (140 CID) 4-Cylinder Turbocharged Engine	OPT	NA	
0	4-Speed Manual Overdrive	COT	616	
1	Transmission	OPT	NA	
	Pivoting Front Vent Windows	OPT	NA	
1	Rear Window Wiper/Washer	OPT	NA	
1	Quiet Sound Group	NA	OPT	
T	Optional Axle Ratio	OPT	NA	
	Lower Bodyside Protection	OPT	NA	
1	Convenience Group	OPT	NA	
T	Mud and Stone Deflectors	OPT	NA	
T	Floor Shift Automatic Transmission	OPT	NA	
1	Premium Sound System	OPT	NA	
1	Conventional Spare Tire	OPT	NA	
	Liftgate Assist Handle	OPT	NA	Н
D	Power Tailgate Window Release	NA	OPT	ľ
		_		

<sup>(1)</sup> Optional 3 3L (200 CID) I-6 engine available

# 1930 FORD FAIRMONT WAGON VS. 1930 CHEVROLET MALIBU WAGON

### 1980 COMPETITIVE PRICE COMPARISON

	STATION W	AGON MODEL
	1 A I RMC NT	MALIBI
BASE STICKER PRICE	\$4,721	\$5,402
DIFFERENCE: FAIRMONT STATION WAGON \$681 LESS		
EQUIPMENT ADJUSTMENTS.  3.3L (200) 1V 16/3.8L (229) 2V V6 Engine Automatic Transmission Power Brakes Steel-Belted WsW Radial Ply Tires Bumper Guards Wheel Covers Interior Accent Group Convenience Group	16 9 340 78 50 - 3 41 115 51	\$10 358 \$10 96 48 \$10 \$10 \$10
COMPARABLY EQUIPPED PRICE	\$5,488	\$5,904

### 1980 COMPETITIVE FUEL ECONOMY COMPARISON

	FAIRMON	r wagon				MALTE	U WAGON		
	For he Size Carberet. ( C).moers	Trans.	EPA HSt MPG Olty	Hwy. Fst.		Portine Size/ Carburetion/ Cylinders	Frans	EPA Est. MPG Ulty	Hwy. Est
PTI :	2.31 (14 ) ZV 14	Vm. 4	23	38		No Comparable Engine	Trans.		
ΙŧТ	3.31.(200 17 16	Man. 4 Op	21	30		No Comparable Engine.			
PT	1. JU. 200 [ 16	Auto.	20	27		No Comparable Engine			
	No Comparable Engine	irans.			שויי	3.8L(229)2V V6	Man. 3	29	26
	to Comparable frame				: JEAL	3.8L 229 2V Vo	Auto.	19	26
UPT	4.2L(255) 2V V8	Auto.	ilA	NA	OPT	4.4L(267) 2V VB	nuto	17	22
	No Comparable Engine				OPT	5.0L(305)4V V8	Auto.	17	25

IFGEND:

## COMPARISON

### 1980 FORD 1980 PONTIAC FAIRMONT SQUIRE vs. GRAND LeMANS WAGON SAFARI WAGON

SPECIFICATIONS	FAIRMONT SQUIRE WAGON	GRAND LeMANS SAFARI WAGON
Wheelbase	105.5"	108.1"
Overall Length	195.5"	197.8"
Overall Width	71.0"	72.6"
FRONT SEAT ROOM		
Head Room	39.0"	38.8"
Shoulder Room	56.7"	56.8"
Hip Room	56.2"	52.2"
Leg Room	41.7"	42.8"
REAR SEAT ROOM		
Head Room	39.0"	38.8"
Shoulder Room	56.7"	56.8"
Hip Room	48.7"	55.6"
Leg Room	35.3"	35.9"
CARGO	79.5	72.4
VOLUME INDEX	Cu. Ft.	Cu. Ft.
UEL TANK	14.0	18.2
CAPACITY	Gal.	Gal.
CURB WEIGHT	2826#	3343#

### Reasons to buy Fairmont Squire Wagon:

- The classic Fairmont Squire wagon adds distinctive exterior styling features like simulated woodgrain bodyside and tailgate appliques, simulated woodgrain moldings surrounding bodyside and liftgate appliques, deluxe wheel covers, bright belt moldings, bright window frames, stand-up hood ornament and Squire script
- The Squire wagon has a highly finished look inside as well as outside, with interior appointments like pleated vinyl seat trim, new partial door trim panel with bright/woodtone racetrack molding, deluxe steering wheel hub, deluxe sound package and carpeted lower portion of liftgate
- Space-efficient and fuel-efficient, Fairmont Squire wagon has four-door convenience and five-passenger capacity. It features a practical, easy-open liftgate with gas-filled assist cylinders — and provides cargo area loading and unloading without leaning over a tailgate

### Fairmont Squire Wagon Advantages:

- Fairmont Squire wagon standard features like steel-belted radial ply tires and front bumper guards, are optional on Pontiac Grand LeMans wagon
- Fairmont Squire wagon standard features not available on Pontiac Grand LeMans Safari wagon include carpeted lower portion of liftgate, cargo area light, "liftgate open" warning light, easy-open liftgate with gas-filled assist cylinders, simulated woodgrain bodyside and tailgate appliques, and carpeted load floor

KEY STANDARD FEATURES	FAIRMONT SQUIRE WAGON	GRAND LeMANS SAFARI WAGON
2.3L (140 CID) 4-Cylinder Overhead Cam Engine	STD	NA
3.8L (229 CID) V-6 Cylinder Engine	NA(1)	STD
4-Speed Manual Transmission	STD	NA
Automatic Transmission	OPT	STD
Rack-and-Pinion Steering	STD	NA
Power Brakes	OPT	STD
P-Metric Steel-Beited Radial Ply Tires	STD	OPT
Modified MacPherson Strut Front Suspension	STD	NA
Front Bumper Guards	STD	OPT
Carpeted Lower Portion of Liftgate	STD	NA
Cargo Area Light	STD	NA
"Liftgate Open" Warning Light	STD	NA
Easy Open Liftgate with Gas- Filled Assist Cylinders	STD	NA
Carpeted Load Floor	STD	STD

SELECTED OPTION COMPARISONS	FAIRMONT SQUIRE WAGON	GRAND LOMANS SAFARI WAGON
2.3L (140 CID) 4-Cylinder Turbocharged Engine	OPT	NA
Floor Shift Automatic Transmission	OPT	NA
Lower Bodyside Protection	OPT	NA
Liftgate Assist Handle	OPT	NA
Lockable Storage Box	OPT	NA
Protection Group	OPT	NA
Pivoting Front Vent Windows	OPT	NA
Rear Window Wiper/Washer	OPT	NA
Digital Quartz Clock	NA	OPT
Illuminated RH Visor Mirror	NA	OPT
Power Tailgate Glass Release	NA	OPT
Medium Trailer Group	NA	OPT
Convenience Group	OPT	NA
Mud and Stone Deflectors	OPT	NA
Conventional Spare Tire	OPT	NA
Turbine Wheel Covers	OPT	NA

<sup>(1) 3.3</sup>L (200 CID) 1-6 available

## 1980 FORD FAIRMONT SQUIRE WAGON VS.

### 1980 PONTIAC GRAND LEMANS SAFARI WAGON

#### 1980 COMPETITIVE PRICE COMPARISON

	STATION WAS	GON MODEL
	FAIRMONT	GRAND LEMANS SAFARI
BASE STICKER PRICE	\$5,179 (1)	\$6,274
DIFFERENCE: FAIRMONT STATION WAGON \$1,095 LESS		
EQUIPMENT ADJUSTMENTS: . 3.3L(200) 1V 16/3.8L(229) 2V V6 Engine . Automatic Transmission . Power Brakes . Deluxe Wheel Covers . Visor Vanity Mirror . Deluxe Seat Belts . Interior Decor Group . Steel-belted Radial Ply Tires . Lockable Stowage Box . Bumper Rub Strips . Bumper Guards	169 340 78 1NCL(2) INCL(2) INCL(2) 196 50 23 40 23	STD STD 45 7 25 STD 95 STD STD 48
COMPARABLY EQUIPPED PRICE	\$6,098	\$6,494

(1) Includes \$458 Adjustment for Squire Option

(2) Included with Squire Option

### 1980 COMPETITIVE FUEL ECONOMY COMPARISON

		ENGI	NE/TRANS	SMISSI	ON/E	PA ESTIMATES			
	FAIRMONT S	QUIRE WAGO	N		_	LEMANS	SAFARI WAG	ON	
	Engine Size/ Carburetion/ Cylinders	Trans.	EPA Est. MPG (City)	Hwy. Est.		Engine Size/ Carburetion/ Cylinders	Trans.	EPA Est. MPG (City)	Hwy. Est.
STD	2.3L(140) 2V 14	Man. 4	23	38		No Comparable Engin	ne/Trans.		
OPT	3.3L(200)1V 16	Man. 4 00	21	30		No Comparable Engis	ne/Trans.		
OPT	3.3L(200) IV 16	Auto.	20	27		No Comparable Engli	ne		
	No Comparable Engine				SID	3.8L(229) ZV V8	Auto.	19	26
OPT	4.2L(255) 2V V8	Auto.	NA	NA	OPT	4.3L(265) 2V V8	Auto.	Phi	NA
	No Comparable Engine				OPT	4.9L(301) 4V V8	Auto.	16	24

LEGEND:

### 1980 FORD 1980 PLYMOUTH FAIRMONT SQUIRE vs. VOLARE PREMIER WAGON WAGON

## COMPETITIVE

KEY SPECIFICATIONS	FAIRMONT SQUIRE WAGON	VOLARE PREMIER WAGON
Wheelbase	105.5"	112.7"
Overall Length	195.5"	204.3"
Overall Width	71.0"	72.4"
FRONT SEAT ROOM		
Head Room	39.0"	39.2"
Shoulder Room	56.7"	55.7"
Hip Room	56.0"	57.2"
Leg Room	41.7"	42.4"
REAR SEAT ROOM		
Head Room	38.9"	38.7"
Shoulder Room	56.7".	55.7"
Hip Room	48.7"	57.0"
Leg Room	35.3"	37.4"
CARGO	79.5	73.1
VOLUME INDEX	Cu. Ft.	Cu. Ft.
FUEL TANK	14.0	18.0
CAPACITY	Gal.	Gal.
CURB WEIGHT	2826#	3429#

Reasons to buy Fairmont Squire Wagon:

- The classic Fairmont Squire wagon adds distinctive exterior styling features like simulated woodgrain bodyside and tailgate appliques, simulated woodgrain moldings surrounding bodyside and liftgate appliques, deluxe wheel covers, bright belt moldings, bright window frames, stand-up hood ornament and Squire script
- The Squire wagon has a highly finished look inside as well as outside, with interior appointments like pleated vinyl seat trim, new partial door trim panel with bright/woodtone racetrack molding, deluxe steering wheel hub, deluxe sound package and carpeted lower portion of liftgate
- Space-efficient and fuel-efficient, Fairmont Squire wagon has four-door convenience and five-passenger capacity. It features a practical, easy-open liftgate with gas-filled assist cylinders—a provides cargo area loading and unloading without leaning over a tailgate

Fairmont Squire Wagon Advantages:

- Fairmont Squire wagon standard features, such as P-metric steel-belted radial ply tires, bucket seats, front bumper guards, inside hood release, maintenance-free battery, and carpeted load floor, are optional on Plymouth Volare wagon with Premier Option
- Fairmont Squire wagon standard features not available on Plymouth Volare wagon include 4-cylinder overhead cam engine, 4-speed manual transmission, rack-and-pinion steering, modified MacPherson strut front suspension and wiper-mounted washer jets

ENIRMONT VOLARS

KEY STANDARD FEATURES	FAIRMONT SQUIRE WAGON	VOLARE PREMIER WAGON
2.3L (140 CID) 4-Cylinder	070	
Overhead Cam Engine	STD	NA
3.7L (225 CID) 6-Cylinder Engine	NA <sup>(1)</sup>	STD
4-Speed Manual Transmission	STD	NA
Rack-and-Pinlon Steering	STD	NA
Modified MacPherson Strut Front Suspension	STD	NA
P-Metric Steel-Belted Radial Ply Tires	STD	OPT
Bucket Seats	STD	OPT
Wiper-Mounted Washer Jets	STD	NA
Front Bumper Guards	STD	OPT
Inside Hood Release	STD	OPT
Maintenance-Free Battery	STD	OPT
Coin Tray Integral w/Color-Keyed Shift Boot	STD	NA
Diagnostic Connector	NA	STD
Simulated Woodgrain Bodyside and Tailgate Appliques	STD	STD

SELECTED OPTION COMPARISONS	SQUIRE WAGON	PREMIER WAGON
2.3L (140 CID) 4-Cylinder	OPT	NIA
Turbocharged Engine	OPT	NA
Convenience Group	OPT	NA
Instrumentation Cluster	OPT	NA
Mud and Stone Deflectors	OPT	NA
Light Group	OPT	NA
Floor Shift Automatic Transmission	OPT	NA
Protection Group	OPT	NA
Premium Sound System	OPT	NA
Pivoting Front Vent Windows	OPT	NA
Power Liftgate Release	NA	OPT
Cargo Compartment Security Cover	NA	OPT
Electronic Digital Clock	NA	OPT
Locking Gas Cap	NA	OPT
Turbine Wheel Covers	OPT	NA
Liftgate Assist Handle	OPT	NA

<sup>(1)</sup> Fairmont offers a 3.3L (200 CID) I-6 cylinder as an engine option

# 1980 FORD FAIRMONT SQUIRE WAGON VS.

### 1930 PLYMOUTH VOLARE WAGON W/PREMIER OPTION

### 1980 COMPETITIVE PRICE COMPARISON

	STATION WAG	STATION WAGON MODELS		
	FAIRMONT	VOLARE PREMIER \$5,846(2)		
BASE STICKER PRICES	\$5,179(1)			
DIFFERENCE: FAIRMONT SQUIRE STATION WAGON \$667 LESS				
EQUIPMENT ADJUSTMENTS: . 3.3L (200) 1V 16/3.7L (225) 1V 16 Engine . 4-Speed Manual Overdrive Transmission . Power Steering . Power Brakes . Steel-Belted Radial Ply Tires . Convenience Group . Deluxe Steering Wheel . Color-Keyed Deluxe Seat Belts . Lockable Stowage Box . AM Radio . Rear Bumper Guards	169 5TD 165 78 50 51 Incl (4) Incl (4) 23 93 23	4		
COMPARABLE EQUIPPED PRICE	\$5,831	\$6,353		

- (1) Includes \$458 Adjustment for Squire Option (2) Includes \$757 Adjustment for Premier Option
- (3) Included with Premier Option (4) Included with Squire Option

### 1980 COMPETITIVE FUEL ECONOMY COMPARISON

		ENGI	NE/TRANS	SM155.	LON/E	PA ESTIMATES			
FAIRMONT SQUIRE WAGON				VOLARE PREMIER WAGON					
Engine Size/ Carburetion/ Cylinders		Trans.	EPA Est. MPG (City)	Hwy. Est.			Trans.	EPA Est. MPG (City)	Hwy. Est.
SID	2,3L(140)2V 14	Man. 4	23	3 38		No Comparable Engine			
	No Comparable Trans.				SID	3.7L(225)1V 16	Man. 3	16	21
OPT	3.3L(200) IV 16	Man. 4 00	21	30	OPT	3.7L(225) 1V 16	Man. 4 00	16	24
OPT	3.3L(200) 1V 16	Auto.	20	27	OPT	3.7L(225) 1V 16	Auto.	16	23
OPT	4. ZL (255) 2V V8	Auto.	N/A	NA	OPT	5.2L(318) 2V V8	Auto.	15	23

LEGEND: